Sikagard[®]-705 L



Version 2.0	Revision Date: 2021/10/27		SDS Number: 000000200197	Date of last issue: 2018/06/28 Date of first issue: 2015/06/23
1. PRODUC	CT AND COMPANY ID	ENTIFI	CATION	
Produ	ct name	: 9	ikagard [®] -705 L	
Product code		: 0	00000200197	
Manut	facturer or supplier's	details		
Company Telephone		7 B T N C T	ika (Thailand) Limited 00/37 Moo.5 Amata Nak angna-Trad Km.57 ambol Klong Tamhru luang District honburi 20000 hailand 66 3810 9500	corn Estate
Emerg	gency telephone num-		6 3821 4270-85	
ber Telefax E-mail address			6 3821 4286 kathai@th.sika.com	

Recommended use of the chemical and restrictions on use

Product use : Surfaces protection

2. HAZARDS IDENTIFICATION

GHS Classification Flammable liquids	:	Category 3
GHS label elements Hazard pictograms	:	^
Signal word	:	Warning
Hazard statements	:	H226 Flammable liquid and vapour.
Precautionary statements	:	Prevention: P210 Keep away from heat/sparks/open flames/ hot surfaces. No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/lighting equip- ment.

Sikagard[®]-705 L



/ersion 20	Revision Date: 2021/10/27	SDS Number: 000000200197	Date of last issue: 2018/06/28 Date of first issue: 2015/06/23
			ng tools. measures against static discharge. /es/eye protection/face protection.
		Response	
		P303 + P361 + P353 IF ON mediately all contaminate shower.	SKIN (or hair): Remove/Take off im- d clothing. Rinse skin with water/ e: Use dry sand, dry chemical or alco- nction.
		Storage:	
		P403 + P235 Store in a we	ell-ventilated place. Keep cool.
		Disposal : P501 Dispose of contents, posal plant.	container to an approved waste dis-
Substa	ance / Mixture	: Substance	
-	oonents zardous ingredients		
I. FIRST A	ID MEASURES		
	ID MEASURES	 Move out of dangerous are Consult a physician. Show this safety data sheet 	ea. et to the doctor in attendance.
	al advice	Consult a physician.	
Gener If inha	al advice	Consult a physician. Show this safety data shee Move to fresh air.	et to the doctor in attendance. hing and shoes immediately.
Gener If inha In cas	al advice led	Consult a physician. Show this safety data shee Move to fresh air. Take off contaminated clot	et to the doctor in attendance. hing and shoes immediately. enty of water. rinsing.

Never give anything by mouth to an unconscious person.

Sikagard[®]-705 L



Vers 2.0	ion Revision Date: 2021/10/27		SDS Number: 000000200197	Date of last issue: 2018/06/28 Date of first issue: 2015/06/23
	Most important symptoms and effects, both acute and delayed	:	No known significant effects or ha See Section 11 for more detailed and symptoms.	
	Notes to physician	:	Treat symptomatically.	
5. FI	REFIGHTING MEASURES			
	Suitable extinguishing media	:	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Water mist	
			Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical	
	Unsuitable extinguishing media	:	High volume water jet	
			Water High volume water jet	
	Specific hazards during fire- fighting	:	Do not use a solid water stream a fire.	is it may scatter and spread
			Do not use a solid water stream a fire.	is it may scatter and spread
	Hazardous combustion prod- ucts	:	Carbon oxides Silicon oxides	
			Carbon oxides Silicon oxides	
			No hazardous combustion produc	cts are known
	Specific extinguishing meth- ods	:	Use water spray to cool unopene	d containers.
	Special protective equipment for firefighters	:	In the event of fire, wear self-cont	ained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec-	Use personal protective equipment.
tive equipment and emer-	Remove all sources of ignition.

Sikagard®-705 L



Versi 2.0	ion Revision Date: 2021/10/27		SDS Number: 000000200197	Date of last issue: 2018/06/28 Date of first issue: 2015/06/23				
	gency procedures		Deny access to unprotected perso	Deny access to unprotected persons.				
	Environmental precautions		Prevent product from entering dra If the product contaminates rivers respective authorities.					
Methods and materials for secontainment and cleaning up		:	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).					
7. H/	ANDLING AND STORAGE							
	Advice on protection against fire and explosion	:	Use explosion-proof equipment. Keep away from heat/sparks/oper smoking. Take precautionary measures aga					
	Advice on safe handling :		Do not breathe vapours or spray mist. Avoid exceeding the given occupational exposure limits (see section 8). For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Take precautionary measures against static discharge. Open drum carefully as content may be under pressure. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Follow standard hygiene measures when handling chemical products					
	Conditions for safe storage	:	Store in original container. Keep in a well-ventilated place. Containers which are opened must kept upright to prevent leakage. Observe label precautions. Store in accordance with local reg	·				

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type	Control parame-	Basis
		10		

Sikagard[®]-705 L



Vers 2.0	Version Revision Date: 2.0 2021/10/27			SDS Number: 000000200197		Date of last issue: 2018/06/28 Date of first issue: 2015/06/23	
					(Form of exposure)	ters/Permissible concentration	
-	ethanol		(64-17-5	TWA	1,000 ppm	TH OEL
	ethanol		(64-17-5	TWA	1,000 ppm	TH OEL
	Persona	I protective equipmer	nt				
	Respiratory protection Use respiratory protection unless adequate local exhaus ventilation is provided or exposure assessment demonst that exposures are within recommended exposure guide. The filter class for the respirator must be suitable for the imum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when har the product. If this concentration is exceeded, self-contain breathing apparatus must be used.		nonstrates guidelines. or the max- en handling				
	Hand pro	otection	 Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when hand chemical products if a risk assessment indicates this is ne essary. 			n handling	
	Eye prote	ection	:			h an approved standa ent indicates this is n	
	Skin and	and body protection : Choose body protection in relation to its type, to the cond tration and amount of dangerous substances, and to the cific work-place.					
	Hygiene	measures	:	practice. When using de When using de	o not eat or drin o not smoke.	od industrial hygiene k. id at the end of workc	

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	colourless
Odour	:	very faint
Odour Threshold	:	No data available
рН	:	Not applicable
Melting point/range	:	< -100 °C (< -148 °F) (1,013 hPa)

Sikagard[®]-705 L



Vers 2.0	on Revision Date: 2021/10/27		SDS Number: 000000200197	Date of last issue: 2018/06/28 Date of first issue: 2015/06/23
	Boiling point/boiling range	:	236 °C (457 °F) (1,013 hPa)	
	Flash point	:	42 °C (108 °F) (Method: closed cup)	
	Evaporation rate	:	No data available	
	Flammability (solid, gas)	:	No data available	
	Self ignition temperature	:	251 °C	
	Upper explosion limit/Upper flammability limit	:	No data available	
	Lower explosion limit / Lower flammability limit	:	No data available	
	Vapour pressure	:	ca. 0.089 hPa (25 °C (77 °F))	
	Relative vapour density	:	No data available	
	Density	:	0.88 g/cm3 (20 °C (68 °F))	
	Solubility(ies) Water solubility	:	insoluble	
	Solubility in other solvents	:	No data available	
	Partition coefficient: n- octanol/water	:	No data available	
	Auto-ignition temperature	:	ca. 265 °C (509 °F)	
	Decomposition temperature	:	No data available	
	Viscosity Viscosity, dynamic	:	1.9 mPa.s (25 °C (77 °F))	
	Viscosity, kinematic	:	$1.98\ mm2/s(20\ ^{\circ}C(68\ ^{\circ}F))$	
	Explosive properties	:	No data available	
	Oxidizing properties	:	No data available	

10. STABILITY AND REACTIVITY

Reactivity

No dangerous reaction known under conditions of normal use.

Sikagard[®]-705 L



Vers 2.0	sion	Revision Date: 2021/10/27		SDS Number: 000000200197	Date of last issue: 2018/06/28 Date of first issue: 2015/06/23	
	Chemica	l stability	:	The product is chemically stable.		
Possibility of hazardous reac- tions		:	Vapours may form explosive mixture with air. No hazards to be specially mentioned.			
	Conditions to avoid		:	Heat, flames and sparks.		
	Incompa	tible materials	:	No data available		
	Hazardo products	us decomposition	:	ethanol Decomposes in contact with wate	er.	
	Hazardo products	us decomposition	:	ethanol		

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Sikagard[®]-705 L



Version 2.0	Revision Date: 2021/10/27	SDS Number: 000000200197	Date of last issue: 2018/06/28 Date of first issue: 2015/06/23
-	ation toxicity		
Not cl	assified based on available	information.	
12. ECOLO	DGICAL INFORMATION		
	oxicity ata available		
	stence and degradability ata available		
	ccumulative potential ata available		
	l ity in soil Ita available		
Other	r adverse effects		
Produ	u <u>ct:</u>		
Additi matio	onal ecological infor-	There is no data available	for this product.
13. DISPO	SAL CONSIDERATIONS		
Dispo	osal methods		
Waste	e from residues	cal or used container.	, waterways or ditches with chemi-
		Send to a licensed waste n	nanagement company.
Conta	minated packaging	Empty remaining contents.	
		Dispose of as unused prod Do not re-use empty contai	
			ng torch on, the empty drum.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Sikagard[®]-705 L



Version	Revision Date:	SDS Number:	Date of last issue: 2018/06/28
2.0	2021/10/27	00000200197	Date of first issue: 2015/06/23

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture							
Hazardous Substance Act	 Conditions of restriction for the fol- lowing entries should be considered. 						
	Not applicable						
Emergency Decree on Controlling the Use Substances	e of Volatile : Not applicable						
International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors							
emissio	ve 2010/75/EU of 24 November 2010 on industrial ons (integrated pollution prevention and control) policable						

16. OTHER INFORMATION

Date format		yyyy/mm/dd			
Full text of other abbreviations					
THOEL		Thailand Occupational Exposure Limits			
THOEL/TWA	:	5 5			
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road			
CAS	:	Chemical Abstracts Service			
DNEL	:	Derived no-effect level			
EC50	:	Half maximal effective concentration			
GHS	:	Globally Harmonized System			
ΙΑΤΑ	:	International Air Transport Association			
IMDG	:	International Maritime Code for Dangerous Goods			
LD50	:	Median lethal dosis (the amount of a material, given all at			
		once, which causes the death of 50% (one half) of a group of			
		test animals)			
LC50	:	Median lethal concentration (concentrations of the chemical in			
		air that kills 50% of the test animals during the observation			
		period			
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978			
OEL	:	Occupational Exposure Limit			

Sikagard[®]-705 L



Version 2.0	Revision Date: 2021/10/27		SDS Number: 000000200197	Date of last issue: 2018/06/28 Date of first issue: 2015/06/23	
PBT PNEC REACH			Persistent, bioaccumulative and toxic Predicted no effect concentration Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registra- tion, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency		
SVHC		:	Substances of Very High Concern		
vPvB		:	Very persistent and very bio	accumulative	
The infe	rmation contained in	thia (Safaty Data Shaat aarraanan	de te our lovel of knowledge at the	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing. TH / EN