# Sika AnchorFix<sup>®</sup>-1 Part A



Version 2.0

SDS Number: 10000004296

### **1. PRODUCT AND COMPANY IDENTIFICATION**

Product name	<sup>:</sup> Sika AnchorFix <sup>®</sup> -1 Part A
Product code	: 10000004296
Type of product	: liquid
Recommended use of the ch Product use	emical and restrictions on use : Adhesive
Manufacturer or supplier's d	etails
Company Telephone Emergency telephone num-	<ul> <li>Sika (Thailand) Limited 700/37 Moo. 5 Amata Nakorn Estate Bangna-Trad Km.57 Tambol Klong Tamhru Muang District Chonburi 20000 Thailand</li> <li>+66 3810 9500</li> <li>+66 3821 4270-85</li> </ul>
ber Telefax E-mail address	: +66 3821 4286 : Sikathai@th.sika.com
E-mail address	: Sikathai@th.sika.com

### 2. HAZARDS IDENTIFICATION

### **GHS Classification**

Flammable liquids	:	Category 3
Short-term (acute) aquatic hazard	:	Category 3
Long-term (chronic) aquatic hazard	:	Category 3
GHS label elements		
Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	H226 Flammable liquid and vapour. H412 Harmful to aquatic life with long lasting effects.
Precautionary statements	:	<ul> <li>P101 If medical advice is needed, have product container or label at hand.</li> <li>P102 Keep out of reach of children.</li> <li>P103 Read label before use.</li> <li>Prevention:</li> </ul>

# Sika AnchorFix<sup>®</sup>-1 Part A



Version 2.0	SDS Number: 10000004296	Revision Date: 2018/12
	P210 Keep away from heat/sparks/o No smoking.	pen flames/hot surfaces.
	P233 Keep container tightly closed.	
	P240 Ground/bond container and rec P241 Use explosion-proof electrical/	
	ment.	
	P242 Use only non-sparking tools.	
	P243 Take precautionary measures	
	P280 Wear protective gloves/ eye pro	
	Response:	I
	P303 + P361 + P353 IF ON SKIN (or	hair): Remove/ Take off
	immediately all contaminated clothing shower.	g. Rinse skin with water/
	P370 + P378 In case of fire: Use dry alcohol-resistant foam for extinction.	sand, dry chemical or
	Storage:	
	P403 + P235 Store in a well-ventilate	ed place. Keep cool.
	Disposal:	
	P501 Dispose of contents/ container disposal plant.	to an approved waste

#### Other hazards which do not result in classification

None known.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous components

Chemical name	CAS-No.	Concentration (%)
vinyltoluene	25013-15-4	>= 10 - < 20

#### 4. FIRST AID MEASURES

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air.
In case of skin contact	: Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.
In case of eye contact	<ul> <li>Remove contact lenses.</li> <li>Keep eye wide open while rinsing.</li> <li>If eye irritation persists, consult a specialist.</li> </ul>
If swallowed	<ul> <li>Clean mouth with water and drink afterwards plenty of water.</li> <li>Do not give milk or alcoholic beverages.</li> <li>Never give anything by mouth to an unconscious person.</li> </ul>
Most important symptoms and effects, both acute and	: No known significant effects or hazards. See Section 11 for more detailed information on health effects

# Sika AnchorFix®-1 Part A



Version 2.0	SDS Number: 100000004296	Revision Date: 2018/12
delayed	and symptoms.	
Notes to physician	: Treat symptomatically.	
5. FIREFIGHTING MEASURES		
Suitable extinguishing media	: Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical	
Unsuitable extinguishing media	: Water High volume water jet	
Specific hazards during fire- fighting	: Do not use a solid water stream as it fire.	may scatter and spread
Hazardous combustion prod- ucts	: No hazardous combustion products a	are known
Specific extinguishing meth- ods	: Use water spray to cool unopened co	ontainers.
Special protective equipment for firefighters	: In the event of fire, wear self-contain	ed breathing apparatus.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	Jse personal protective equipment. Remove all sources of ignition. Deny access to unprotected persons.	
Environmental precautions	Prevent product from entering drains. f the product contaminates rivers and lakes or e espective authorities.	drains inform
Methods and materials for containment and cleaning up	Contain spillage, and then collect with non-com sorbent material, (e.g. sand, earth, diatomaceou niculite) and place in container for disposal acc national regulations (see section 13).	us earth, ver-

#### 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Use explosion-proof equipment. Keep away from heat/sparks/open flames/hot surfaces. No smoking. Take pre- cautionary measures against electrostatic discharges.
Advice on safe handling	:	Do not breathe vapours or spray mist. Avoid exceeding the given occupational exposure limits (see section 8). For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area.

# Sika AnchorFix<sup>®</sup>-1 Part A

Version 2.0	SDS Number: 100000004296	Revision Date: 2018/12/1
	Take precautionary measures agains Open drum carefully as content may Take necessary action to avoid static (which might cause ignition of organic Follow standard hygiene measures w products	be under pressure. electricity discharge c vapours).
Conditions for safe storage	<ul> <li>Store in original container.</li> <li>Keep in a well-ventilated place.</li> <li>Containers which are opened must be kept upright to prevent leakage.</li> <li>Observe label precautions.</li> <li>Store in accordance with local regular</li> </ul>	

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters				
Components	CAS-No.	Value type (Form of	Control parame- ters / Permissible	Basis
		exposure)	concentration	
vinyltoluene	25013-15-4	4 TWA	100 ppm	TH OEL
		TWA	50 ppm	ACGIH
		STEL	100 ppm	ACGIH
Personal protective equipm	ent			
Respiratory protection	ventilation that expose The filter of imum exp (gas/vapo dling the p	is provided or exposures are within rec class for the respirated contaminant ected contaminant ur/aerosol/particulated	tes) that may arise w entration is exceeded	monstrates guidelines. or the max- hen han-
Hand protection	proved sta	andard should be w	us gloves complying v orn at all times when sessment indicates th	handling
Eye protection			ith an approved stand nent indicates this is r	
Skin and body protection		d amount of danger	lation to its type, to th ous substances, and	
Hygiene measures	practice. When usir When usir	ng do not eat or drii ng do not smoke.	ood industrial hygiene nk. nd at the end of work	·

# Components with workplace control parameters

### 9. PHYSICAL AND CHEMICAL PROPERTIES



# Sika AnchorFix<sup>®</sup>-1 Part A

<b>Sika</b> ®
Revision Date: 2018/12/12

Version 2.0	SDS Number: 100000004296
Appearance	: liquid
Colour	: beige
Odour	: aromatic
Odour Threshold	: No data available
рН	: Not applicable
Melting point/range / Freezing point	: No data available
Initial boiling point and boiling range	: >165 ℃ (>329 ℉)
Flash point	: 53 ℃ (127 ℉) Method: closed cup
Evaporation rate	: No data available
Flammability	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: ca. 6 hPa (5 mmHg) (20 ℃ (68 ℉))
Relative vapour density	: No data available
Density	: ca. 1.7 g/cm3 (20 °C (68 °F) ())
Solubility(ies) Water solubility	: insoluble
Partition coefficient: n- octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity Viscosity, dynamic	: No data available
Viscosity, kinematic	: > 20.5 mm2/s (40 °C)
Explosive properties	: No data available
Molecular weight	: No data available

#### **10. STABILITY AND REACTIVITY**

# Sika AnchorFix<sup>®</sup>-1 Part A

Version 2.0	SDS Number: 100000004296	Revision Date: 2018/12/12
Reactivity	: No dangerous reaction known under condit	ions of normal use.
Chemical stability	: The product is chemically stable.	
Possibility of hazardous reac- tions	: Stable under recommended storage condit Vapours may form explosive mixture with a	
Conditions to avoid	: Heat, flames and sparks.	
Incompatible materials	: No data available	

No decomposition if stored and applied as directed.

#### **11. TOXICOLOGICAL INFORMATION**

#### Acute toxicity

No data available

#### Skin corrosion/irritation

Not classified based on available information.

#### Product:

Method: OECD Test Guideline 439 Result: No skin irritation

#### Serious eye damage/eye irritation

Not classified based on available information.

### Product:

Result: No eye irritation Method: in vitro eye irritation test

#### Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

#### Reproductive toxicity

Not classified based on available information.

#### STOT - single exposure

Not classified based on available information.

#### STOT - repeated exposure

Not classified based on available information.

#### **Aspiration toxicity**

Not classified based on available information.

# Sika AnchorFix<sup>®</sup>-1 Part A

Version 2.0



#### **12. ECOLOGICAL INFORMATION**

Ecotoxicity No data available	
Persistence and degradability No data available	
<b>Bioaccumulative potential</b> No data available	
<b>Mobility in soil</b> No data available	
Other adverse effects	
Product: Additional ecological infor- : mation	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life with long lasting effects.

### 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	<ul> <li>The product should not be allowed to enter drains, water courses or the soil.</li> <li>Do not contaminate ponds, waterways or ditches with chemical or used container.</li> <li>Send to a licensed waste management company.</li> </ul>
Contaminated packaging	<ul> <li>Empty remaining contents.</li> <li>Dispose of as unused product.</li> <li>Do not re-use empty containers.</li> <li>Do not burn, or use a cutting torch on, the empty drum.</li> </ul>

#### **14. TRANSPORT INFORMATION**

### International Regulations

<b>UNRTDG</b> UN number Proper shipping name Class Packing group Labels	: UN 1866 : RESIN SOLUTION : 3 : III : 3
IATA-DGR UN/ID No. Proper shipping name Class Packing group Labels Packing instruction (cargo	: UN 1866 : Resin solution : 3 : III : Flammable Liquids : 366

## Sika AnchorFix<sup>®</sup>-1 Part A

Version 2.0

Labels

EmS Code

Marine pollutant

SDS Number: 10000004296



aircraft) Packing instruction (passen-: 355 ger aircraft) **IMDG-Code UN** number UN 1866 : Proper shipping name **RESIN SOLUTION** • Class 3 2 Packing group : Ш

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

F-E, S-E

yes

: 3

:

Not applicable for product as supplied.

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **15. REGULATORY INFORMATION**

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	:	Not applicable
Hazardous Substance Act B.E. 2535	:	Not applicable
Emergency Decree on Controlling the Use of Volatile Substances B.E. 2533	:	Not applicable

VOC-EU (solvent) : 0.03 g/l

#### **16. OTHER INFORMATION**

Date format : yyyy/mm/dd

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.