

PRODUCT DATA SHEET

Sika® Clean-20

CONCRETE CLEANER

DESCRIPTION

Sika® Clean-20 is an acid based concrete cleaner.

USES

Sika® Clean-20 is used to remove hardened concrete and mortar from equipment, concrete mixers, ready-mixed trucks and tools.

PRODUCT INFORMATION

| | |
|----------------------------|--|
| Composition | Acid based liquid |
| Packaging | 5 l / pail, 25 l / pail |
| Appearance / Colour | Clear / Yellowish |
| Shelf life | 24 months from the date of production If stored properly in undamaged, original, sealed packaging. |
| Storage conditions | Store in cool and ventilated places. The store floor should be acid resistant coated, and the product must be kept in a pit-area to avoid leakages to the drain. |
| Density | 1.09 - 1.11 kg/l (at temperature 25°C) |

APPLICATION INSTRUCTIONS

APPLICATION

Sika® Clean-20 is liberally applied over the contaminated surface and left to work 10-15 minutes. More than one application and left to work might be required in case long time and more contaminated. Must be applied 1-3 times and left 1 night for penetrated and reacted with left of concrete on surface. All dissolved deposits should be washed or brushed away using clean water. In the case of ready-mixed truck, frequent rotation of the drum mixer will facilitate uniform cleaning.

CHARACTERISTICS / ADVANTAGES

The product provides an effective cleaning :

As equipment cleaner

- To extend the life cycle of equipments
- To maintain a clean-looking outfit

As acid etching

- To prepare flooring surfaces intended to receive protective coatings

IMPORTANT CONSIDERATIONS

The product is acid based, and therefore all protective measures must be taken into account to avoid contact to skin and mucous membranes.

Prevent contact to reactive metals, such as zinc, aluminium, brass and galvanized steel (especially if part of the equipment)

In case of accidental contact with eyes or skin, wash with plenty of water and immediately obtain medical attention.

BASIS OF PRODUCT DATA

All technical data stated in this Product Data Sheet are based on laboratory tests. Actual measured data may vary due to circumstances beyond our control.

LOCAL RESTRICTIONS

Please note that as a result of specific local regulations the performance of this product may vary from country to country. Please consult the local Product Data Sheet for the exact description of the application fields.

ECOLOGY, HEALTH AND SAFETY

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Material Safety Data Sheet containing physical, ecological, toxicological and other safety-related data.

LEGAL NOTES

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the product's suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

Sika (Thailand) Limited

700/37 Moo 5 Amata City Chonburi
Industrial Estate, T. Klong Tamhru
A. Muang, Chonburi 20000, Thailand
Tel : +66 3810 9500
E-mail : sikathai@th.sika.com
Website: tha.sika.com



Product Data Sheet

Sika® Clean-20
January 2020, Version 01.02
02140514100000009

SikaClean-20-en-TH-(01-2020)-1-2.pdf