Sikaflex[®]-740 Construction



Version 1.0	Revision Date: 2021/12/13		SDS Number: 100000034695	Date of last issue: - Date of first issue: 2021/12/13
1. PRODUC	T AND COMPANY IE	ENTIFIC	CATION	
Produc	ct name	: Si	kaflex [®] -740 Construction	
Produc	ct code	: 10	0000034695	
Manuf	acturer or supplier's	details		
Compa	any	70 Ba Ta	ka (Thailand) Limited 0/37 Moo.5 Amata Nakorn E Ingna-Trad Km.57 Imbol Klong Tamhru Jang District	state

Chonburi 20000 Thailand

: +66 3810 9500

: +66 3821 4286

: +66 3821 4270-85

: Sikathai@th.sika.com

							-	-

Emergency telephone num-

2. HAZARDS IDENTIFICATION

Telephone

E-mail address

ber Telefax

GHS Classification		
Flammable liquids	:	Category 4
GHS label elements Hazard pictograms Signal word	:	None Warning
Hazard statements	:	H227 Combustible liquid.
Precautionary statements	:	Prevention:
		P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P280 Wear protective gloves/eye protection/face protection.
		Response
		P370 + P378 In case of fire Use dry sand, dry chemical or alco- hol-resistant foam for extinction.
		Storage:
		P403 + P235 Store in a well-ventilated place. Keep cool.
		Disposal
		P501 Dispose of contents/ container to an approved waste dis-
		1/9

Sikaflex[®]-740 Construction



Version	Revision Date:	SDS Number:	Date of last issue:-
1.0	2021/12/13	100000034695	Date of first issue:2021/12/13
		posal plant.	

Other hazards which do not result in classification None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Hardener LI (Isophoronedialdimine)	932742-30-8	>= 0.25 -< 1

4. FIRST AID MEASURES

General advice	:	No hazards which require special first aid measures.
If inhaled	:	Move to fresh air.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.
In case of eye contact	:	Flush eyes with water as a precaution. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	:	No known significant effects or hazards. See Section 11 for more detailed information on health effects and symptoms.
Notes to physician	:	Treat symptomatically.

5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Carbon dioxide (CO2)
Unsuitable extinguishing media	:	Water
Hazardous combustion prod- ucts	:	No hazardous combustion products are known

Sikaflex[®]-740 Construction



Vers 1.0	ion Revision Date: 2021/12/13		SDS Number: 100000034695	Date of last issue: - Date of first issue: 2021/12/13
	Specific extinguishing meth- ods	:	Standard procedure for chemical	fires.
	Special protective equipment for firefighters	:	In the event of fire, wear self-conta	ained breathing apparatus.
6. A	CCIDENTAL RELEASE MEAS	SUF	RES	
	Personal precautions, protec- tive equipment and emer- gency procedures	:	For personal protection see section	on 8.
	Environmental precautions	:	No special environmental precaut	ions required.
	Methods and materials for containment and cleaning up	:	Wipe up with absorbent material (Keep in suitable, closed container	-
7. H.	ANDLING AND STORAGE			
	Advice on protection against fire and explosion	:	Normal measures for preventive f	ire protection.
	Advice on safe handling	:	For personal protection see section Follow standard hygiene measure products	
	Conditions for safe storage	:	Store in original container. Keep in a well-ventilated place. Observe label precautions. Store in accordance with local reg	gulations.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the max- imum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.

Sikaflex[®]-740 Construction



Version 1.0	Revision Date: 2021/12/13		SDS Number: 100000034695	Date of last issue:- Date of first issue:2021/12/13
Hand	protection	:	Chemical-resistant, impervious gl approved standard should be wo chemical products if a risk assess essary.	rn at all times when handling
Eye p	rotection	:	Safety eyewear complying with a be used when a risk assessment	
Skin a	and body protection	:	Choose body protection in relatio tration and amount of dangerous cific work-place.	
Hygie	ne measures	:	Handle in accordance with good i practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and a	

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	paste
Colour	:	various
Odour	:	characteristic
Odour Threshold	:	No data available
рН	:	Not applicable
Melting point/range / Freezing	:	No data available
point Boiling point/boiling range	:	No data available
Flash point	:	ca. 70 °C (158 °F) (Method: closed cup)
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit⊬Upper flammability limit	:	No data available
Lower explosion limit/Lower flammability limit	:	No data available
Vapour pressure	:	0.01 hPa

Sikaflex[®]-740 Construction



ersion 0	Revision Date: 2021/12/13		SDS Number: 100000034695	Date of last issue: - Date of first issue: 2021/12/13
Relativ	ve vapour density	:	No data available	
Densit	ty	:	ca. 1.44 g/cm3 (23 °C (73 °F))	
Solubi	lity(ies)			
Wa	ater solubility	:	insoluble	
Sol	lubility in other solvents	:	No data available	
	on coefficient: n- bl/water	:	No data available	
Auto₋iç	gnition temperature	:	No data available	
Decon	nposition temperature	:	No data available	
Viscos Vis	sity cosity, dynamic	:	No data available	
Vis	cosity, kinematic	:	> 20.5 mm2/s (40 °C (104 °F))	
Explos	sive properties	:	No data available	
Oxidiz	ing properties	:	No data available	

10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac- tions	:	No hazards to be specially mentioned.
Conditions to avoid	:	No data available
Incompatible materials	:	No data available

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Components:

Hardener Ll (Isophoronedialdimine):Acute oral toxicity:LD50 Oral (Rat): > 2,000 mg/kg

Sikaflex[®]-740 Construction



ersion D	Revision Date: 2021/12/13	SDS Number: 100000034695	Date of last issue: - Date of first issue: 2021/12/13					
Acute	dermal toxicity	LD50 Dermal (Rabbit): > 2,0	00 mg/kg					
Skin c	orrosion/irritation							
Not cla	Not classified based on available information.							
Seriou	ıs eye damage∕eye irrita	tion						
Not classified based on available information.								
Respiratory or skin sensitisation								
Skin sensitisation Not classified based on available information.								
-	ratory sensitisation assified based on availabl	e information.						
	cell mutagenicity assified based on availabl	e information.						
	nogenicity assified based on availabl	e information.						
-	ductive toxicity assified based on availabl	e information.						
STOT	- single exposure							
Not cla	assified based on availabl	e information.						
STOT	- repeated exposure							
Not cla	assified based on availabl	e information.						
-	ation toxicity assified based on availabl	e information.						
2. ECOLO	GICAL INFORMATION							
Ecoto	xicity							
<u>Comp</u>	onents:							
	ner LI (Isophoronediald							

		Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia (water flea)): > 100 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): 180.4 mg/l Exposure time: 72 h

Sikaflex[®]-740 Construction



ersion 0	Revision Date: 2021/12/13		SDS Number: 100000034695	Date of last issue: - Date of first issue: 2021/12/13
	stence and degradabi	lity		
No da	ta available			
	Bioaccumulative potential			
No da	ta available			
	ity in soil ta available			
Other adverse effects				
<u>Produ</u>	<u>ict:</u>			
Addition mation	onal ecological infor- า	:	There is no data available f	or this product.
3. DISPOS	SAL CONSIDERATION	IS		
Dispo	sal methods			
•	from residues	:	cal or used container.	waterways or ditches with chemi-
			Send to a licensed waste m	nanagement company.
Conta	minated packaging	:	Empty remaining contents.	
			Dispose of as unused produ	uct.
			Do not re-use empty contain	ners.
			Do not hurn or upo o outtin	g torch on, the empty drum

14. TRANSPORT INFORMATION

International Regulations

UNRTDG Not regulated as a dangerous good

IATA-DGR Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Hazardous Substance Act

Conditions of restriction for the fol-

Sikaflex[®]-740 Construction



sion	Revision Date: 2021/12/13		SDS Number: 100000034695	Date of last issue: - Date of first issue: 2021/12/13
				lowing entries should be considered Not applicable
Emerg Substa	gency Decree on Contro ances	olling	the Use of Volatile :	Not applicable
	ational Chemical Weap lules of Toxic Chemical			Not applicable
Volatil	e organic compounds	:	emissions (integrated po	24 November 2010 on industrial ollution prevention and control) nds (VOC) content: 2.4% w/w
OTHER				
Date fo	ormat	:	yyyy/mm/dd	
Full te	ext of other abbreviation	ons		
ADR		:	European Agreement co Dangerous Goods by Ro	oncerning the International Carriage of bad
CAS		:	Chemical Abstracts Ser	
DNEL		:	Derived no-effect level	
EC50		:	Half maximal effective c	oncentration
GHS		:	Globally Harmonized Sy	rstem
IATA		:	International Air Transpo	
IMDG		:		ode for Dangerous Goods
LD50		:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of	
			toot onimales	č .
LC50		:	air that kills 50% of the te	tion (concentrations of the chemical in est animals during the observation
LC50 MARP	POL	:	Median lethal concentra air that kills 50% of the te period) International Conventior	tion (concentrations of the chemical in est animals during the observation n for the Prevention of Pollution from
	POL	:	Median lethal concentra air that kills 50% of the te period) International Conventior	tion (concentrations of the chemical in est animals during the observation n for the Prevention of Pollution from by the Protocol of 1978
MARP	POL		Median lethal concentra air that kills 50% of the te period) International Conventior Ships, 1973 as modified	tion (concentrations of the chemical in est animals during the observation n for the Prevention of Pollution from by the Protocol of 1978 Limit
MARP OEL		:	Median lethal concentra air that kills 50% of the te period) International Conventior Ships, 1973 as modified Occupational Exposure	tion (concentrations of the chemical in est animals during the observation n for the Prevention of Pollution from by the Protocol of 1978 Limit tive and toxic
MARP OEL PBT		:	Median lethal concentra air that kills 50% of the te period) International Conventior Ships, 1973 as modified Occupational Exposure Persistent, bioaccumula Predicted no effect conc	tion (concentrations of the chemical in est animals during the observation n for the Prevention of Pollution from by the Protocol of 1978 Limit tive and toxic
MARP OEL PBT PNEC		:	Median lethal concentra air that kills 50% of the te period) International Convention Ships, 1973 as modified Occupational Exposure Persistent, bioaccumula Predicted no effect conc Regulation (EC) No 1907 of the Council of 18 Dec tion, Evaluation, Authori	tion (concentrations of the chemical in est animals during the observation a for the Prevention of Pollution from by the Protocol of 1978 Limit tive and toxic centration
MARP OEL PBT PNEC	: H	:	Median lethal concentra air that kills 50% of the te period) International Convention Ships, 1973 as modified Occupational Exposure Persistent, bioaccumula Predicted no effect conc Regulation (EC) No 1907 of the Council of 18 Dec tion, Evaluation, Authori	tion (concentrations of the chemical in est animals during the observation of for the Prevention of Pollution from by the Protocol of 1978 Limit tive and toxic centration 7/2006 of the European Parliament and eember 2006 concerning the Registra- sation and Restriction of Chemicals European Chemicals Agency

Sikaflex[®]-740 Construction



Version	Revision Date:	SDS Number:	Date of last issue:-
1.0	2021/12/13	10000034695	Date of first issue: 2021/12/13

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing. TH / EN