Sika[®] Leveling Mortar[®]



Version 1.1

SDS Number: 000000611642

1. PRODUCT AND COMPANY IDENTIFICATION

Product name	: Sika [®] Leveling Mortar [®]
Product code	: 000000611642
Type of product	: powder
Recommended use of the che Product use	emical and restrictions on use : Levelling compound
Manufacturer or supplier's d	etails
Company Telephone Emergency telephone num-	 Sika (Thailand) Limited 700/37 Moo. 5 Amata Nakorn Estate Bangna-Trad Km.57 Tambol Klong Tamhru Muang District Chonburi 20000 Thailand +66 3810 9500 +66 3821 4270-85
ber Telefax E-mail address	: +66 3821 4286 : Sikathai@th.sika.com

2. HAZARDS IDENTIFICATION

GHS Classification		
Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irri- tation	:	Category 1
Specific target organ toxicity - single exposure	:	Category 3 (Respiratory system)
GHS label elements		
Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation.
Precautionary statements	:	Prevention: P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P264 Wash skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area.

Sika[®] Leveling Mortar[®]

Version 1.1	SDS Number: 000000611642	Revision Date: 2019/08/09
	 P280 Wear protective gloves/ eye pr Response: P302 + P352 IF ON SKIN: Wash with P304 + P340 + P312 IF INHALED: F and keep at rest in a position comfor POISON CENTER or doctor/ physici P305 + P351 + P338 + P310 IF IN E water for several minutes. Remove of and easy to do. Continue rinsing. Im CENTER/doctor. P332 + P313 If skin irritation occurs: tion. P362 Take off contaminated clothing Storage: P403 + P233 Store in a well-ventilate tightly closed. P405 Store locked up. Disposal: P501 Dispose of contents/ container disposal plant. 	h plenty of soap and water. Remove victim to fresh air table for breathing. Call a an if you feel unwell. YES: Rinse cautiously with contact lenses, if present mediately call a POISON Get medical advice/ atten- g and wash before reuse. ed place. Keep container

R

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration (%)
Quartz (SiO2)	14808-60-7	>= 50 - < 70
Cement (chromium reduced)	65997-15-1	>= 30 - < 50

4. FIRST AID MEASURES

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	 Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	 Small amounts splashed into eyes can cause irreversible tissue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.

Sika[®] Leveling Mortar[®]



Version 1.1	SDS Number: 000000611642	Revision Date: 2019
If swallowed	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Obtain medical attention.	
Most important symptoms and effects, both acute and delayed	 irritant effects Cough Respiratory disorder Excessive lachrymation Dermatitis See Section 11 for more detailed information on health effects and symptoms. Causes skin irritation. Causes serious eye damage. May cause respiratory irritation. 	
Notes to physician	: Treat symptomatically.	
5. FIREFIGHTING MEASURES		
Suitable extinguishing media	: Use extinguishing measures that a cumstances and the surrounding e	
Hazardous combustion prod- ucts	: No hazardous combustion product	s are known
Specific extinguishing meth- ods	: Standard procedure for chemical fi	ires.
Special protective equipment for firefighters	: In the event of fire, wear self-conta	ined breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	: Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.
Environmental precautions	: Try to prevent the material from entering drains or water courses.
Methods and materials for containment and cleaning up	: Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Advice on protection against fire and explosion	: Avoid dust formation. Provide appropriate exhaust ventilat at places where dust is formed.	ion
Advice on safe handling	: Do not breathe vapours/dust. Avoid exceeding the given occupational exposure limits (s section 8).	ee

Sika[®] Leveling Mortar[®]

Version 1.1	SDS Number: 000000611642	Revision Date: 2019/08/0
	Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be pro plication area. Follow standard hygiene measures when ha products	·
Conditions for safe storage	: Store in original container. Keep in a well-ventilated place. Observe label precautions. Store in accordance with local regulations.	

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Quartz (SiO2)	14808-60-7	TWA (Res- pirable dust)	0.025 mg/m3	TH OEL
		TWA (Res- pirable frac- tion)	0.025 mg/m3	ACGIH
		TWA (Res- pirable frac- tion)	0.025 mg/m3 (Silica)	ACGIH
		TWA (Res- pirable frac- tion)	0.025 mg/m3	ACGIH
		TWA (Res- pirable frac- tion)	0.025 mg/m3 (Silica)	ACGIH
Cement (chromium reduced)	65997-15-1	TWA (Res- pirable frac- tion)	1 mg/m3	ACGIH

Components with workplace control parameters

Personal protective equipment

Respiratory protection :	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the max- imum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when han- dling the product. If this concentration is exceeded, self- contained breathing apparatus must be used.
Hand protection :	Chemical-resistant, impervious gloves complying with an ap- proved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec- essary.
Eye protection :	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary.

Sika[®] Leveling Mortar[®]

Version 1.1	SDS Number: 000000611642	Revision Date: 2019/08/09
Skin and body protection	: Choose body protection in relation to tration and amount of dangerous subs cific work-place.	
Hygiene measures	 Handle in accordance with good industry practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the 	

®

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Colour	:	grey
Odour	:	odourless
Odour Threshold	:	No data available
рН	:	No data available
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability	:	No data available
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	ca. 2.1 g/cm3
Bulk density	:	ca. 1,750 kg/m3
Solubility(ies) Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Auto-ignition temperature	:	No data available

Sika[®] Leveling Mortar[®]

Version 1.1	SDS Number: 000000611642	Revision Date: 2019/08/09
Decomposition temperature	: No data available	
Viscosity		
Viscosity, dynamic	: No data available	
Viscosity, kinematic	: Not applicable	
Explosive properties	: No data available	
Molecular weight	: No data available	

10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: The product is chemically stable.
Possibility of hazardous reac- tions	: Stable under recommended storage conditions.
Conditions to avoid	: No data available
Incompatible materials	: No data available
Hazardous decomposition products	: No decomposition if stored and applied as directed.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

No data available

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

May cause respiratory irritation.

Sika[®] Leveling Mortar[®]

Version 1.1

SDS Number: 000000611642



STOT - repeated exposure Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

mation

Additional ecological infor- : There is no data available for this product.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	: Do not contaminate ponds, waterways or ditches with chemi- cal or used container. Send to a licensed waste management company.
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Sika[®] Leveling Mortar[®]



Version 1.1

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Notification of Ministry of Interior on Working Safety Relating to Hazardous Chemicals B.E. 2534	:
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	: Not applicable
Hazardous Substance Act B.E. 2535	: Conditions of restriction for the fol- lowing entries should be considered: Not applicable
Emergency Decree on Controlling the Use of Volatile Substances B.E. 2533	: Not applicable

16. OTHER INFORMATION

Date format : yyyy/mm/dd

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.