Sika Boom[®]-AP



Version 3.0	Revision Date: 2021/11/04	SDS Number: 000000612825	Date of last issue: 2020/12/03 Date of first issue: 2015/10/16
1. PRODU	CT AND COMPANY IDE	NTIFICATION	
Produ	ict name	Sika Boom [®] -AP	
Product code		00000612825	
Manu	facturer or supplier's de	etails	
Company		Sika (Thailand) Limited 700/37 Moo. 5 Amata Nal Bangna-Trad Km.57 Tambol Klong Tamhru Muang District Chonburi 20000 Thailand	korn Estate
Telep	hone	: +66 3810 9500	

: +66 3821 4286

: Sikathai@th.sika.com

2. HAZARDS IDENTIFICATION

E-mail address

ber Telefax

Emergency telephone num- +66 3821 4270-85

GHS Classification		
Flammable aerosols	:	Category 2
Germ cell mutagenicity	:	Category 1B
Carcinogenicity	:	Category 1A
GHS label elements		
Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H223 Flammable aerosol. H340 May cause genetic defects.
		H350 May cause cancer.
Precautionary statements	:	Prevention:
		P201 Obtain special instructions before use.
		P202 Do not handle until all safety precautions have been read and understood.
		P210 Keep away from heat/sparks/open flames/hot surfaces.
		1,10

Sika Boom[®]-AP



Version 3.0	Revision Date: 2021/11/04	SDS Number: 000000612825	Date of last issue: 2020/12/03 Date of first issue: 2015/10/16
			en flame or other ignition source. Do not pierce or burn, even after ve equipment as required.
		Response : P308 + P313 IF exposed or o tention.	concerned: Get medical advice/at-
		Storage : P405 Store locked up. P410 + P412 Protect from su tures exceeding 50 °C/ 122 °	inlight. Do not expose to tempera- °F.
		Disposal : P501 Dispose of contents/ co posal plant.	ontainer to an approved waste dis-

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
butane containing \geq 0,1 % butadiene (203-450-8)	106-97-8	>= 10 -< 20
4,4'-methylenediphenyl diisocyanate	101-68-8	>= 0.1 -< 1

4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
		2/10

Sika Boom[®]-AP



/ersion 3.0	Revision Date: 2021/11/04		SDS Number: 000000612825	Date of last issue: 2020/12/03 Date of first issue: 2015/10/16
If swallowed		:	Do not give milk or alcoholi	d drink afterwards plenty of water. ic beverages. uth to an unconscious person.
and ef	Most important symptoms and effects, both acute and delayed		carcinogenic effects See Section 11 for more de and symptoms. May cause genetic defects May cause cancer.	etailed information on health effects
Notes	to physician	:	Treat symptomatically.	
5. FIREFIGI	HTING MEASURES			
Suitab	le extinguishing media	:	Water spray jet Dry powder Foam Carbon dioxide (CO2)	
Unsuit media	able extinguishing	:	High volume water jet	
Hazaro ucts	dous combustion prod-	:	No hazardous combustion	products are known
Specif ods	ic extinguishing meth-	:	Use water spray to cool un	opened containers.
	al protective equipment fighters	:	In the event of fire, wear se	elf-contained breathing apparatus.
	NTAL RELEASE MEAS	UR	ES	
tive eq	nal precautions, protec- uipment and emer- procedures	:	Use personal protective eq Deny access to unprotecte	-
Enviro	nmental precautions	:		ater or sanitary sewer system. s rivers and lakes or drains inform
7. HANDLIN	NG AND STORAGE			
	e on protection against d explosion	:	Use explosion-proof equipr Keep away from heat/spar smoking.	nent. ks/open flames/hot surfaces.No
			3/10	

Sika Boom[®]-AP



Version 3.0	Revision Date: 2021/11/04	SDS Number: 000000612825	Date of last issue: 2020/12/03 Date of first issue: 2015/10/16		
			me or any incandescent material. es against electrostatic discharges.		
Advice on safe handling		section 8). Do not get in eyes, on skin, For personal protection see Smoking, eating and drinkin plication area. Take precautionary measur Open drum carefully as con Take necessary action to av (which might cause ignition	Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Take precautionary measures against static discharge. Open drum carefully as content may be under pressure. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Follow standard hygiene measures when handling chemical		
Conditions for safe storage		exposure and temperatures or throw into fire even after hot objects Store in original container.	rized. Keep away from direct sun over 50 °C. Do not open by force use. Do not spray on flames or red- d in a dry and well-ventilated place.		

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

	•			
Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
butane containing $\geq 0,1 \%$ bu- tadiene (203-450-8)	106-97-8	STEL	1,000 ppm	ACGIH
4,4'-methylenediphenyl diiso- cyanate	101-68-8	TWA	0.005 ppm	ACGIH

Personal protective equipment

Respiratory protection
Use respiratory protection unless adequate local exhaust
ventilation is provided or exposure assessment demonstrates
that exposures are within recommended exposure guidelines.
The filter class for the respirator must be suitable for the maximum expected contaminant concentration
(gas/vapour/aerosol/particulates) that may arise when handling
the product. If this concentration is exceeded, self-contained

Sika Boom[®]-AP



Version 3.0	Revision Date: 2021/11/04		SDS Number: 000000612825	Date of last issue: 2020/12/03 Date of first issue: 2015/10/16	
			breathing apparatus must be u	sed.	
Hand protection		:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.		
Eye protection		:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary.		
Skin and body protection		:	Choose body protection in relation to its type, to the concen- tration and amount of dangerous substances, and to the spe- cific work-place.		
Hygid	ene measures	:	Handle in accordance with goo practice. When using do not eat or drink When using do not smoke. Wash hands before breaks and		

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	brown
Odour	:	characteristic
Odour Threshold	:	No data available
рН	:	Not applicable
Melting point/range / Freezing	:	No data available
point Boiling point/boiling range	:	No data available
Flash point	:	-41 °C (-42 °F) (Method: closed cup)
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit/Upper flammability limit	:	No data available
Lower explosion limit/Lower flammability limit	:	No data available

Sika Boom[®]-AP



Vers 3.0	ion	Revision Date: 2021/11/04		SDS Number: 000000612825	Date of last issue: 2020/12/03 Date of first issue: 2015/10/16
	Vapour p	ressure	:	8300 hPa	
	Relative	vapour density	:	No data available	
	Density		:	$1.126~g/cm3~(20~^{\circ}C~(68~^{\circ}F))$	
	Solubility	(ies)			
	Water	solubility	:	No data available	
	Solub	ility in other solvents	:	No data available	
	Partition octanol/w	coefficient: n- /ater	:	No data available	
	Auto-ignit	tion temperature	:	No data available	
	Decompo	osition temperature	:	No data available	
	Viscosity			ca. 1,000 mPa.s (20 °C (68 °F))	
	VISCO	sity, dynamic	:	Ca. 1,000 MFA.S (20 C (00 F))	
	Visco	sity, kinematic	:	No data available	
	Explosive	e properties	:	No data available	
	Oxidizing	properties	:	No data available	

10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac- tions	:	Stable under recommended storage conditions.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	No data available

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Components:

4,4'-methylenediphenyl diisocyanate:

Sika Boom[®]-AP



/ersion 3.0	Revision Date: 2021/11/04	SDS Number: 000000612825	Date of last issue: 2020/12/03 Date of first issue: 2015/10/16				
Acute	oral toxicity	: LD50 Oral (Rat): > 5,000 m Method: OECD Test Guide					
Acute	inhalation toxicity	: LC50: 1.5 mg/l Exposure time: 4 h Test atmosphere: dust/mis Method: Expert judgement					
Skin	corrosion/irritation						
Not cl	assified based on avai	ilable information.					
Serio	us eye damage/eye ir	ritation					
Not cl	Not classified based on available information.						
Resp	iratory or skin sensiti	isation					
	sensitisation assified based on avai	ilable information.					
	iratory sensitisation assified based on avai	ilable information.					
	cell mutagenicity ause genetic defects.						
	nogenicity ause cancer.						
-	oductive toxicity assified based on avai	ilable information.					
STOT	-single exposure						
Not cl	assified based on avai	ilable information.					
	-repeated exposure						
Not cl	assified based on avai	ilable information.					
	ation toxicity assified based on avai	ilable information.					
12. ECOLO	GICAL INFORMATIO	DN					
	oxicity ta available						
	stence and degradab ta available	ility					
Bioac	cumulative potential						

No data available

Sika Boom[®]-AP



Version 3.0	Revision Date: 2021/11/04		SDS Number: 000000612825	Date of last issue: 2020/12/03 Date of first issue: 2015/10/16
	l ity in soil ata available			
Othe	r adverse effects			
<u>Prod</u> Addit matic	ional ecological infor-	:	There is no data available f	or this product.
13. DISPO	SAL CONSIDERATION	NS		
Disp	osal methods			
Wast	Waste from residues : Do not contaminate ponds, waterways or ditches with cher cal or used container. Send to a licensed waste management company.			
Conta	aminated packaging	:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.	

14. TRANSPORT INFORMATION

International Regulations

UNRTDG UN number Proper shipping name Class Packing group Labels	: : :	UN 1950 AEROSOLS 2.1 Not assigned by regulation 2.1
IATA-DGR UN/ID No. Proper shipping name Class Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passen- ger aircraft) IMDG-Code	:::::::::::::::::::::::::::::::::::::::	UN 1950 Aerosols, flammable 2.1 Not assigned by regulation Flammable Gas 203 203
UN number	:	UN 1950

Sika Boom[®]-AP



Version 3.0	Revision Date: 2021/11/04		SDS Number: 000000612825	Date of last issue: 2020/12/03 Date of first issue: 2015/10/16
Proper shipping name		:	AEROSOLS	
Class		:	2.1	
Packing group		:	Not assigned by regulation	
Labels		:	2.1	
EmS Code		:	F-D, S-U	
Marine	e pollutant	:	no	

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

		-
Hazardous Substance Act	:	Conditions of restriction for the fol- lowing entries should be considered Not applicable
Emergency Decree on Controlling Substances	Not applicable	
International Chemical Weapons Schedules of Toxic Chemicals an	Not applicable	
Volatile organic compounds	24 November 2010 on industrial ollution prevention and control) Inds (VOC) content: 40% w/w	

16. OTHER INFORMATION

Date format		yyyy/mm/dd		
Full text of other abbreviations				
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)		
ACGIH/TWA	:	8-hour, time-weighted average		
ACGIH/STEL	:	Short-term exposure limit		
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road		
CAS	:	Chemical Abstracts Service		
DNEL	:	Derived no-effect level		
EC50	:	Half maximal effective concentration		

Sika Boom[®]-AP



Version 3.0	Revision Date: 2021/11/04		SDS Number: 000000612825	Date of last issue: 2020/12/03 Date of first issue: 2015/10/16		
GHS		:	Globally Harmonized System			
ΙΑΤΑ		:	International Air Transport Association			
IMDG		:	International Maritime Code for Dangerous Goods			
LD50		:	Median lethal dosis (the amount of a material, given all at			
			once, which causes the death of test animals	50% (one half) of a group of		
LC50		:	Median lethal concentration (concentrations of the chemical in			
			air that kills 50% of the test anima period	als during the observation		
MARPOL		:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978			
OEL		:	Occupational Exposure Limit			
PBT		:	Persistent, bioaccumulative and toxic			
PNEC		:	Predicted no effect concentration			
REACH		:	Regulation (EC) No 1907/2006 of of the Council of 18 December 2 tion, Evaluation, Authorisation at (REACH), establishing a Europe	006 concerning the Registra- nd Restriction of Chemicals		
SVHC		:	Substances of Very High Concern			
vPvB :		Very persistent and very bioaccu	umulative			

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing. TH/EN