# Sikafloor<sup>®</sup> Marine-120

Revision Date: 2018/06/29

Version 1.1

SDS Number: 000000603923

### **1. PRODUCT AND COMPANY IDENTIFICATION**

Product name	: Sikafloor <sup>®</sup> Marine-120
Product code	: 000000603923
Type of product	: powder
Recommended use of the ch Product use	emical and restrictions on use : Cement / Mortar
Manufacturer or supplier's d	etails
Company	: Sika (Thailand) Limited 700/37 Moo. 5 Amata Nakorn Estate Bangna-Trad Km.57 Tambol Klong Tamhru Muang District Chonburi 20000 Thailand
Telephone Emergency telephone num-	: +66 3810 9500 : +66 3821 4270-85
ber Telefax E-mail address	: +66 3821 4286 : Sikathai@th.sika.com

#### 2. HAZARDS IDENTIFICATION

GHS Classification	
Skin corrosion/irritation	: Category 2
Serious eye damage/eye irri- tation	: Category 1
Specific target organ toxicity - single exposure	: Category 3 (Respiratory system)
GHS label elements	
Hazard pictograms	
Signal word	: Danger
Hazard statements	<ul> <li>H315 Causes skin irritation.</li> <li>H318 Causes serious eye damage.</li> <li>H335 May cause respiratory irritation.</li> </ul>
Precautionary statements	<ul> <li>Prevention:</li> <li>P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.</li> <li>P264 Wash skin thoroughly after handling.</li> <li>P271 Use only outdoors or in a well-ventilated area.</li> </ul>

# Sikafloor<sup>®</sup> Marine-120

Version 1.1	SDS Number: 00000603923	Revision Date: 2018/06/29
	<ul> <li>P280 Wear protective gloves/ eye pr</li> <li>Response:</li> <li>P302 + P352 IF ON SKIN: Wash with</li> <li>P304 + P340 + P312 IF INHALED: F</li> <li>and keep at rest in a position comfor</li> <li>POISON CENTER or doctor/ physici</li> <li>P305 + P351 + P338 + P310 IF IN E</li> <li>water for several minutes. Remove of</li> <li>and easy to do. Continue rinsing. Im</li> <li>CENTER/doctor.</li> <li>P332 + P313 If skin irritation occurs:</li> <li>tion.</li> <li>P362 Take off contaminated clothing</li> <li>Storage:</li> <li>P403 + P233 Store in a well-ventilate</li> <li>tightly closed.</li> <li>P405 Store locked up.</li> <li>Disposal:</li> <li>P501 Dispose of contents/ container</li> <li>disposal plant.</li> </ul>	h plenty of soap and water. Remove victim to fresh air table for breathing. Call a an if you feel unwell. YES: Rinse cautiously with contact lenses, if present mediately call a POISON Get medical advice/ atten- g and wash before reuse. ed place. Keep container

R

#### Other hazards which do not result in classification

None known.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous components

Chemical name	CAS-No.	Concentration (%)
Cement (chromium reduced)	65997-15-1	>= 20 - < 30
glass, oxide, chemicals	65997-17-3	>= 1 - < 10

#### 4. FIRST AID MEASURES

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	<ul> <li>Take off contaminated clothing and shoes immediately.</li> <li>Wash off with soap and plenty of water.</li> <li>If symptoms persist, call a physician.</li> </ul>
In case of eye contact	<ul> <li>Small amounts splashed into eyes can cause irreversible tissue damage and blindness.</li> <li>In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.</li> <li>Continue rinsing eyes during transport to hospital.</li> <li>Remove contact lenses.</li> <li>Keep eye wide open while rinsing.</li> </ul>

# Sikafloor<sup>®</sup> Marine-120



Version 1.1	SDS Number: 000000603923	Revision Date: 2018
If swallowed	: Clean mouth with water and drir Do not give milk or alcoholic bey Never give anything by mouth to Obtain medical attention.	verages.
Most important symptoms and effects, both acute and delayed	<ul> <li>irritant effects</li> <li>Cough</li> <li>Respiratory disorder</li> <li>Excessive lachrymation</li> <li>Dermatitis</li> <li>See Section 11 for more detailed and symptoms.</li> <li>Causes skin irritation.</li> <li>Causes serious eye damage.</li> <li>May cause respiratory irritation.</li> </ul>	
Notes to physician	: Treat symptomatically.	
5. FIREFIGHTING MEASURES		_
Suitable extinguishing media	: Use extinguishing measures tha cumstances and the surrounding	
Hazardous combustion prod- ucts	: No hazardous combustion produ	ucts are known
Specific extinguishing meth- ods	: Standard procedure for chemica	al fires.
Special protective equipment for firefighters	: In the event of fire, wear self-con	ntained breathing apparatus.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	: Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.
Environmental precautions	: Try to prevent the material from entering drains or water courses.
Methods and materials for containment and cleaning up	: Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

## 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	: Avoid dust formation. Provide appropriate exhaust ventilat at places where dust is formed.	ion
Advice on safe handling	: Do not breathe vapours/dust. Avoid exceeding the given occupational exposure limits (s section 8).	ee

# Sikafloor<sup>®</sup> Marine-120

Version 1.1	SDS Number: 000000603923	Revision Date: 2018/06/2
	Do not get in eyes, on skin, or on cloth For personal protection see section 8. Smoking, eating and drinking should b plication area. Follow standard hygiene measures wh products	e prohibited in the ap-
Conditions for safe storage	: Store in original container. Keep in a well-ventilated place. Observe label precautions. Store in accordance with local regulation	ons.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Cement (chromium reduced)	65997-15-1	TWA (Dust)	50 Million parti- cles per cubic foot	TH OEL
		TWA (Res- pirable frac- tion)	1 mg/m3	ACGIH
glass, oxide, chemicals	65997-17-3	TWA (fibres)	1 fibres per cubic centimeter	ACGIH

## Components with workplace control parameters

#### Personal protective equipment

Respiratory protection :	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the max- imum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when han- dling the product. If this concentration is exceeded, self- contained breathing apparatus must be used.
Hand protection :	Chemical-resistant, impervious gloves complying with an ap- proved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec- essary.
Eye protection :	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary.
Skin and body protection :	Choose body protection in relation to its type, to the concen- tration and amount of dangerous substances, and to the spe- cific work-place.
Hygiene measures :	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.



## Sikafloor<sup>®</sup> Marine-120

Version 1.1



#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: powder
Colour	: grey
Odour	: characteristic
Odour Threshold	: No data available
рН	: Not applicable
Melting point/range / Freezing point	: No data available
Boiling point/boiling range	: No data available
Flash point	: Not applicable
Evaporation rate	: No data available
Flammability	: No data available
Upper explosion limit Lower explosion limit	: Not applicable : Not applicable
Vapour pressure	: No data available
Relative vapour density	: No data available
Density	: 0.7 g/cm3 (20 °C (68 °F) ())
Solubility(ies) Water solubility	: insoluble
Partition coefficient: n- octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: No data available
Molecular weight	: No data available

#### **10. STABILITY AND REACTIVITY**

Reactivity

: No dangerous reaction known under conditions of normal use.

# Sikafloor<sup>®</sup> Marine-120

Version 1.1	SDS Number: 00000603923	Revision Date: 2018/06/29
Chemical stability	: The product is chemically stable.	
Possibility of hazardous reac- tions	: Stable under recommended storage conditi	ons.
Conditions to avoid	: No data available	
Incompatible materials	: No data available	
No decomposition if stored and	applied as directed.	

#### **11. TOXICOLOGICAL INFORMATION**

#### Acute toxicity

No data available

#### Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

#### **Reproductive toxicity**

Not classified based on available information.

#### STOT - single exposure

May cause respiratory irritation.

#### STOT - repeated exposure

Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.

#### **12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

No data available Persistence and degradability No data available Bioaccumulative potential No data available Mobility in soil No data available

# Sikafloor<sup>®</sup> Marine-120

<b>Jika</b> ®
Revision Date: 2018/06/29

# Version 1.1 SDS Number: 00000603923 Revision Date: 2018/06/29 Other adverse effects Product: Additional ecological information : There is no data available for this product. 13. DISPOSAL CONSIDERATIONS Disposal methods Disposal methods

Disposal methods	
Waste from residues	<ul> <li>Do not contaminate ponds, waterways or ditches with chemi- cal or used container.</li> <li>Send to a licensed waste management company.</li> </ul>
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

## 14. TRANSPORT INFORMATION

International Regulations UNRTDG Not dangerous goods IATA-DGR Not dangerous goods IMDG-Code Not dangerous goods

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable for product as supplied.

#### **15. REGULATORY INFORMATION**

## Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	:	Not applicable
Hazardous Substance Act B.E. 2535	:	Not applicable
Emergency Decree on Controlling the Use of Volatile Substances B.E. 2533	:	Not applicable
Notification of Ministry of Interior on Working Safety Relating to Hazardous Chemicals B.E. 2534	:	Limestone Cement (chromium reduced)

#### **16. OTHER INFORMATION**

Date format

: yyyy/mm/dd

# Sikafloor<sup>®</sup> Marine-120

Version 1.1

Revision Date: 2018/06/29

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.