# Sikasil®-119 MP



Version Revision Date: SDS Number: Date of last issue:

1.0 2021/12/13 100000031752 Date of first issue: 2021/12/13

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Sikasil®-119 MP

Product code : 100000031752

Manufacturer or supplier's details

Company : Sika (Thailand) Limited

700/37 Moo. 5 Amata Nakorn Estate

Bangna-Trad Km.57 Tambol Klong Tamhru

Muang District Chonburi 20000 Thailand

Telephone : +66 3810 9500 Emergency telephone num- : +66 3821 4270-85

ber

Telefax : +66 3821 4286

E-mail address : Sikathai@th.sika.com

#### 2. HAZARDS IDENTIFICATION

**GHS Classification** 

Serious eye damage/eye irri-

tation

Category 1

Skin sensitisation : Category 1

**GHS** label elements

Hazard pictograms





Signal word : Danger

Hazard statements : H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

Precautionary statements Prevention:

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P272 Contaminated work clothing should not be allowed out of

the workplace.

P280 Wear protective gloves/eye protection/face protection.

Response:

# Sikasil®-119 MP



Version Revision Date: SDS Number: Date of last issue: -

1.0 2021/12/13 100000031752 Date of first issue: 2021/12/13

P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

P333 + P313 If skin irritation or rash occurs: Get medical advice/

attention.

P363 Wash contaminated clothing before reuse.

Disposal:

P501 Dispose of contents/container to an approved waste dis-

posal plant.

#### Other hazards which do not result in classification

None known.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)	
Paraffin oils	8012-95-1	>= 10 -< 20	
butan-2-one O,O',O"-(methylsilylidyne)trioxime	22984-54-9	>= 2.5 -< 10	
butan-2-one O,O',O"-(vinylsilylidyne)trioxime	2224-33-1	>= 3 -< 10	
3-aminopropyltriethoxysilane	919-30-2	>= 0.1 -< 1	

#### 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

If inhaled : Move to fresh air.

Consult a physician after significant exposure.

In case of skin contact : Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water. If symptoms persist, call a physician.

In case of eye contact : Small amounts splashed into eyes can cause irreversible tis-

sue damage and blindness.

In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Continue rinsing eyes during transport to hospital.

# Sikasil®-119 MP



Version Revision Date: SDS Number: Date of last issue: -

1.0 2021/12/13 100000031752 Date of first issue: 2021/12/13

Remove contact lenses.

Keep eye wide open while rinsing.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

Obtain medical attention.

Most important symptoms and effects, both acute and

delayed

sensitising effects Allergic reactions

Excessive lachrymation

See Section 11 for more detailed information on health effects

and symptoms.

May cause an allergic skin reaction.

Causes serious eye damage.

Notes to physician : Treat symptomatically.

#### **5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Hazardous combustion prod-

ucts

No hazardous combustion products are known

Specific extinguishing meth-

ods

Standard procedure for chemical fires.

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

### **6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Deny access to unprotected persons.

Environmental precautions : Do not flush into surface water or sanitary sewer system.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

### 7. HANDLING AND STORAGE

# Sikasil®-119 MP



Version Revision Date: SDS Number: Date of last issue: -

1.0 2021/12/13 100000031752 Date of first issue: 2021/12/13

Advice on protection against

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling : Do not breathe vapours or spray mist.

Avoid exceeding the given occupational exposure limits (see

section 8).

Do not get in eyes, on skin, or on clothing. For personal protection see section 8.

Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Follow standard hygiene measures when handling chemical

products

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.

Store in accordance with local regulations.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Paraffin oils	8012-95-1	TWA (Inhala- ble particu- late matter)	5 mg/m3	ACGIH

#### Personal protective equipment

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the max-

imum expected contaminant concentration

(gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained

breathing apparatus must be used.

Hand protection : Chemical-resistant, impervious gloves complying with an

approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec-

essary.

Eye protection : Safety eyewear complying with an approved standard should

be used when a risk assessment indicates this is necessary.

# Sikasil®-119 MP



Version Revision Date: SDS Number: Date of last issue: -

1.0 2021/12/13 100000031752 Date of first issue: 2021/12/13

Skin and body protection : Choose body protection in relation to its type, to the concen-

tration and amount of dangerous substances, and to the spe-

cific work-place.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : paste

Colour : various

Odour : odourless

Odour Threshold : No data available

pH : not determined

Melting point/range / Freezing

point

Boiling point/boiling range not determined

Flash point : not determined

Evaporation rate : No data available

 $Flammability \ (solid, \ gas) \\ \hspace{1cm} : \hspace{1cm} No \ data \ available$ 

Upper explosion limit/Upper

flammability limit

No data available

No data available

Lower explosion limit/Lower

flammability limit

No data available

Vapour pressure : 0.01 hPa

Relative vapour density : No data available

Density : ca. 0.97 g/cm3 (25 °C (77 °F))

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

# Sikasil®-119 MP



Version Revision Date: SDS Number: Date of last issue: -

1.0 2021/12/13 100000031752 Date of first issue: 2021/12/13

Partition coefficient: n-

. No data available

octanol/water

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic No data available

Viscosity, kinematic :  $> 20.5 \text{ mm2/s} (40 ^{\circ}\text{C} (104 ^{\circ}\text{F}))$ 

Explosive properties : No data available

Oxidizing properties : No data available

#### 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : The product is chemically stable.

Possibility of hazardous reac-

tions

Stable under recommended storage conditions.

Conditions to avoid : No data available

Incompatible materials : No data available

Hazardous decomposition

products

butanone oxime

## 11. TOXICOLOGICAL INFORMATION

#### **Acute toxicity**

Not classified based on available information.

### Components:

### 3-aminopropyltriethoxysilane:

Acute oral toxicity : LD50 Oral (Rat): 1,490 mg/kg

#### Skin corrosion/irritation

Not classified based on available information.

#### Serious eye damage/eye irritation

Causes serious eye damage.

# Sikasil®-119 MP



Version Revision Date: SDS Number: Date of last issue: -

1.0 2021/12/13 100000031752 Date of first issue: 2021/12/13

## Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

### Respiratory sensitisation

Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

### Carcinogenicity

Not classified based on available information.

### Reproductive toxicity

Not classified based on available information.

## STOT - single exposure

Not classified based on available information.

## STOT - repeated exposure

Not classified based on available information.

## **Aspiration toxicity**

Not classified based on available information.

## 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

No data available

## Persistence and degradability

No data available

#### Bioaccumulative potential

No data available

## Mobility in soil

No data available

### Other adverse effects

### **Product**:

Additional ecological infor-

mation

There is no data available for this product.

## 13. DISPOSAL CONSIDERATIONS

## **Disposal methods**

Waste from residues : Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

# Sikasil®-119 MP



Version Revision Date: SDS Number: Date of last issue: -

1.0 2021/12/13 100000031752 Date of first issue: 2021/12/13

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product.

Do not re-use empty containers.

#### 14. TRANSPORT INFORMATION

### **International Regulations**

**UNRTDG** 

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Hazardous Substance Act : Conditions of restriction for the fol-

lowing entries should be considered:

Not applicable

Emergency Decree on Controlling the Use of Volatile

Substances

Not applicable

International Chemical Weapons Convention (CWC)

Schedules of Toxic Chemicals and Precursors

Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control)

Not applicable

#### **16. OTHER INFORMATION**

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

# Sikasil®-119 MP



Version Revision Date: SDS Number: Date of last issue: -

1.0 2021/12/13 100000031752 Date of first issue: 2021/12/13

ACGIH/TWA : 8-hour, time-weighted average

ADR : European Agreement concerning the International Carriage of

Dangerous Goods by Road

CAS Chemical Abstracts Service

DNEL : Derived no-effect level

EC50 : Half maximal effective concentration

GHS : Globally Harmonized System

IATA : International Air Transport Association

IMDG : International Maritime Code for Dangerous Goods

LD50 : Median lethal dosis (the amount of a material, given all at

once, which causes the death of 50% (one half) of a group of

test animals)

LC50 : Median lethal concentration (concentrations of the chemical in

air that kills 50% of the test animals during the observation

period)

MARPOL : International Convention for the Prevention of Pollution from

Ships, 1973 as modified by the Protocol of 1978

OEL : Occupational Exposure Limit

PBT : Persistent, bioaccumulative and toxic PNEC : Predicted no effect concentration

REACH : Regulation (EC) No 1907/2006 of the European Parliament and

of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency

SVHC : Substances of Very High Concern

vPvB : Very persistent and very bioaccumulative

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing. TH/EN