# SikaPlast<sup>®</sup> R 8189



Version 1.1	Revision Date: 2024/03/08		SDS Number: 100000051063	Date of last issue: 2023/06/25 Date of first issue: 2023/06/25
1. PROD	UCT AND COMPANY ID	ENTIF	ICATION	
Pro	duct name	:	SikaPlast <sup>®</sup> R 8189	
Mar	nufacturer or supplier's	detail	S	
Con	npany	·	Sika (Thailand) Limited 700/37 Moo.5 Amata Nał Bangna-Trad Km.57 Tambol Klong Tamhru Muang District Chonburi 20000 Thailand	korn Estate
Tele	ephone	:	+66 3810 9500	
Eme	ergency telephone numbe	er :	+66 3821 4270-85	
E-m	ail address	:	Sikathai@th.sika.com	
Tele	efax	:	+66 3821 4286	
Rec	commended use of the d	chemi	cal and restrictions on u	se

Recommended use of the	chemical and restrictions on
Product use	Concrete admixtures

#### 2. HAZARDS IDENTIFICATION

GHS Classification Short-term (acute) aquatic hazard	:	Category 3
Long-term (chronic) aquatic hazard	:	Category 3
GHS label elements		
Hazard pictograms		None
Signal word	:	None
Hazard statements	:	H412 Harmful to aquatic life with long lasting effects.
Precautionary statements	:	Prevention:
		P273 Avoid release to the environment.
		Disposal
		P501 Dispose of contents/ container to an approved waste dis-

### SikaPlast<sup>®</sup> R 8189



Version	Revision Date:	SDS Number:	Date of last issue: 2023/06/25
1.1	2024/03/08	10000051063	Date of first issue: 2023/06/25

posal plant.

# Other hazards which do not result in classification None known.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Modified Triisopropanolamine	Not Assigned	>= 1 -< 10
2-octyl-2H-isothiazole-3-one (OIT)	26530-20-1	>= 0.0025 -< 0.025

#### 4. FIRST AID MEASURES

General advice	:	No hazards which require special first aid measures.
If inhaled	:	Move to fresh air.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.
In case of eye contact	:	Flush eyes with water as a precaution. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	:	No known significant effects or hazards. See Section 11 for more detailed information on health effects and symptoms.
Notes to physician	:	Treat symptomatically.
5. FIREFIGHTING MEASURES		
Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.

Hazardous combustion prod- No hazardous combustion products are known ucts		
--	--	--

### SikaPlast<sup>®</sup> R 8189



Versi 1.1	on Revision Date: 2024/03/08		SDS Number: 100000051063	Date of last issue: 2023/06/25 Date of first issue: 2023/06/25
	Specific extinguishing meth- ods	:	Standard procedure for chemical	fires.
	Special protective equipment for firefighters	:	In the event of fire, wear self-conta	ained breathing apparatus.
6. AC	CIDENTAL RELEASE MEA	SUF	RES	
	Personal precautions, protec- tive equipment and emer- gency procedures	• :	For personal protection see section	on 8.
	Environmental precautions	:	No special environmental precaut	ions required.
	Methods and materials for containment and cleaning up	:	Wipe up with absorbent material ( Keep in suitable, closed container	<b>C</b>
7. HA	NDLING AND STORAGE			
	Advice on protection against fire and explosion	:	Normal measures for preventive f	ire protection.
	Advice on safe handling	:	For personal protection see section No special handling advice require Follow standard hygiene measure products	ed.
	Conditions for safe storage	:	Keep container tightly closed in a Store in accordance with local reg	
	Materials to avoid	:	No special restrictions on storage	with other products.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

#### Personal protective equipment

Respiratory protection	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the max- imum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained
	breathing apparatus must be used.

# SikaPlast<sup>®</sup> R 8189



Version 1.1	Revision Date: 2024/03/08		SDS Number: 100000051063	Date of last issue: 2023/06/25 Date of first issue: 2023/06/25
Hand	protection	:	Chemical-resistant, impervious of approved standard should be we chemical products if a risk asses essary.	orn at all times when handling
Eye pr	otection	:	Safety eyewear complying with be used when a risk assessmen	
Skin a	nd body protection	:	Choose body protection in relati tration and amount of dangerous cific work-place.	
Hygier	ne measures	:	When using do not eat or drink. When using do not smoke.	

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	brown
Odour	:	No data available
Odour Threshold	:	No data available
рН	:	$8.0 - 10.0(25\ ^{\circ}C(77\ ^{\circ}F))$
Melting point/range / Freezing	:	No data available
point Boiling point/boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit/Upper flammability limit	:	No data available
Lower explosion limit/Lower flammability limit	:	No data available
Vapour pressure	:	23 hPa
Relative vapour density	:	No data available
Density	:	ca. 1.160 g/cm3 (25 °C (77 °F))

### SikaPlast<sup>®</sup> R 8189



rsion	Revision Date: 2024/03/08		SDS Number: 100000051063	Date of last issue: 2023/06/25 Date of first issue: 2023/06/25
Solubi	lity(ies)			
	ter solubility	:	No data available	
Sol	ubility in other solvents	:	No data available	
	on coefficient: n- I/water	:	No data available	
Auto-ignition temperature		:	No data available	
Decon	Decomposition temperature		No data available	
Viscosity Viscosity, dynamic		:	No data available	
Vis	cosity, kinematic	:	No data available	
Explos	ive properties	:	No data available	
Oxidiz	ing properties	:	No data available	

Reactivity	No dangerous reaction known under conditions of normal use.

•		-
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac- tions	:	No hazards to be specially mentioned.
Conditions to avoid	:	No data available
Incompatible materials	:	No data available

#### **11. TOXICOLOGICAL INFORMATION**

#### Acute toxicity

Not classified based on available information.

#### Skin corrosion/irritation

Not classified based on available information.

#### Serious eye damage/eye irritation

Not classified based on available information.

### SikaPlast<sup>®</sup> R 8189



Version 1.1	Revision Date: 2024/03/08	SDS Number: 100000051063	Date of last issue: 2023/06/25 Date of first issue: 2023/06/25				
Respi	ratory or skin sensitisat	ion					
Skin s	Skin sensitisation						
Not cla	Not classified based on available information.						
Respi	Respiratory sensitisation						
Not cla	Not classified based on available information.						
Germ	cell mutagenicity						

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

#### **Reproductive toxicity**

Not classified based on available information.

#### STOT - single exposure

Not classified based on available information.

#### STOT - repeated exposure

Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.

#### **12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

<u>Components</u> :		
2-octyl-2H-isothiazole-3-one (O	DIT):	
M-Factor (Acute aquatic tox-	:	100
M-Factor (Chronic aquatic stoxicity)	:	100
<b>Persistence and degradability</b> No data available	у	
Bioaccumulative potential No data available		
<b>Mobility in soil</b> No data available		
Other adverse effects		
Product:		
Additional ecological infor-	•	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

# SikaPlast<sup>®</sup> R 8189



ersion 1	Revision Date: 2024/03/08	SDS Number: 100000051063	Date of last issue: 2023/06/25 Date of first issue: 2023/06/25
3. DISPO	SAL CONSIDERATIONS		
Dispo	sal methods		
Conta	minated packaging	Empty containers should be dling site for recycling or di	e taken to an approved waste han- sposal
14. TRANS	PORT INFORMATION		
Intern	ational Regulations		
UNRT	DG		
UN nu		Not applicable	
	r shipping name	Not applicable	
Class		Not applicable	
	,	Not applicable	
Labels	55 1	Not applicable	
Labels		Not applicable	
UN/ID		Not applicable	
	r shipping name	Not applicable	
Class		Not applicable	
	diary risk	Not applicable	
Packir Labels		Not applicable	
		<ul> <li>Not applicable</li> <li>Not applicable</li> </ul>	
aircraf		Not applicable	
	ng instruction (passen-	Not applicable	
ger air	•		
IMDG			
UN nu		Not applicable	
-		Not applicable	
Class		Not applicable	
	1	Not applicable	
	-	Not applicable	
Labels		Not applicable	
EmS (	Code	Not applicable	
Marine	e pollutant	Not applicable	

Not applicable for product as supplied.

### SikaPlast<sup>®</sup> R 8189



Version	Revision Date: 2024/03/08	SDS Number:	Date of last issue: 2023/06/25
1.1		100000051063	Date of first issue: 2023/06/25

Special precautions for user Not applicable

#### **15. REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture				
Hazardous Substance Act	<ul> <li>Conditions of restriction for the fol- lowing entries should be considered.</li> </ul>			
	sodium hydroxide (List 5.1, Number on list 153; List 2.1,			
	Number on list 6)			

Emergency Decree on Contro Substances International Chemical Weap Schedules of Toxic Chemical	ons Convention (CWC)	:	Not applicable Not applicable	
Volatile organic compounds	: Directive 2010/75/EL	J of	24 November 2010 on indust	tr

Volatile organic compounds	:	Directive 2010/75/EU of 24 November 2010 on industrial
		emissions (integrated pollution prevention and control)
		Volatile organic compounds (VOC) content: 0.7% w/w

#### **16. OTHER INFORMATION**

Revision Date Date format	•	2024/03/08 yyyy/mm/dd
Full text of other abbrevi	ations	
ADR		European Agreement concerning the International Carriage of
CAS		Dangerous Goods by Road Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
ΙΑΤΑ	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at
		once, which causes the death of $50\%$ (one half) of a group of
		test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in
		air that kills 50% of the test animals during the observation
		period
MARPOL	•	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL		Occupational Exposure Limit
PBT		Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration

### SikaPlast<sup>®</sup> R 8189



	sion Date: /03/08	SDS Number: 100000051063	Date of last issue: 2023/06/25 Date of first issue: 2023/06/25
REACH	of th tion,	ulation (EC) No 1907/2006 of the council of 18 December 200 Evaluation, Authorisation and ACH), establishing a Europear	06 concerning the Registra- I Restriction of Chemicals
SVHC	: Subs	stances of Very High Concern	l de la constante de
vPvB	: Very	persistent and very bioaccun	nulative

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing. TH / EN