# Sika<sup>®</sup> ViscoCrete<sup>®</sup>-181 TH



Version 1.0	Revision Date: 2024/04/29		SDS Number: 100000057535	Date of last issue: - Date of first issue: 2024/04/29
1. PRODU	CT AND COMPANY IE	DENTI	FICATION	
Produ	uct name	:	Sika <sup>®</sup> ViscoCrete <sup>®</sup> -181 TH	1
Manu	Ifacturer or supplier's	detai	ls	
Comp	bany	:	Sika (Thailand) Limited 700/37 Moo.5 Amata Nako Bangna-Trad Km.57 Tambol Klong Tamhru Muang District Chonburi 20000 Thailand	orn Estate
Telep	hone	:	+66 3810 9500	
Emer	gency telephone numb	er :	+66 3821 4270-85	
E-mai	il address	:	Sikathai@th.sika.com	
Telefa	ах	:	+66 3821 4286	

#### Recommended use of the chemical and restrictions on use

Product use : Liquid applied membranes

#### 2. HAZARDS IDENTIFICATION

GHS Classification Short-term (acute) aquatic hazard	:	Category 3
Long-term (chronic) aquatic hazard	:	Category 3
<b>GHS label elements</b> Hazard pictograms Signal word Hazard statements	: : :	None None H412 Harmful to aquatic life with long lasting effects.
Precautionary statements	:	Prevention: P273 Avoid release to the environment. Disposal: P501 Dispose of contents/ container to an approved waste dis-

# Sika<sup>®</sup> ViscoCrete<sup>®</sup>-181 TH



Version	Revision Date: 2024/04/29	SDS Number:	Date of last issue: -
1.0		100000057535	Date of first issue: 2024/04/29

posal plant.

#### Other hazards which do not result in classification None known.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
2-octyl-2H-isothiazole-3-one (OIT)	26530-20-1	>= 0.0025 -< 0.025

#### **4. FIRST AID MEASURES**

	General advice . No hazards which require special first aid measures.		No hazards which require special first aid measures.		
	If inhaled	:	Move to fresh air.		
	In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.		
	In case of eye contact	:	Flush eyes with water as a precaution. Remove contact lenses. Keep eye wide open while rinsing.		
	If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.		
	Most important symptoms and effects, both acute and delayed	:	No known significant effects or hazards. See Section 11 for more detailed information on health effects and symptoms.		
	Notes to physician	:	Treat symptomatically.		
5. F	IREFIGHTING MEASURES				
	Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.		
	Hazardous combustion prod- ucts	:	No hazardous combustion products are known		
	Specific extinguishing meth-	:	Standard procedure for chemical fires.		
	2/9				

## Sika<sup>®</sup> ViscoCrete<sup>®</sup>-181 TH



Version 1.0	Revision Date: 2024/04/29		SDS Number: 100000057535	Date of last issue: - Date of first issue: 2024/04/29
ods				
	ial protective equipment efighters	:	In the event of fire, wear se	lf-contained breathing apparatus.
6. ACCIDE	ENTAL RELEASE MEAS	UR	ES	
tive e	onal precautions, protec- quipment and emer- y procedures	:	For personal protection see	e section 8.
Envir	onmental precautions	:	No special environmental p	recautions required.
Methods and materials for containment and cleaning up		:	Wipe up with absorbent ma Keep in suitable, closed co	-
7. HANDL	ING AND STORAGE			
	e on protection against nd explosion	:	Normal measures for preve	entive fire protection.
Advic	e on safe handling	:	For personal protection see No special handling advice Follow standard hygiene m products	
Cond	itions for safe storage	:	Keep container tightly close Store in accordance with lo	ed in a dry and well-ventilated place. cal regulations.
Mater	rials to avoid	:	No special restrictions on s	torage with other products.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

#### Personal protective equipment

Respiratory protection :	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the max- imum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.
--------------------------	--

# Sika<sup>®</sup> ViscoCrete<sup>®</sup>-181 TH



Version 1.0	Revision Date: 2024/04/29		SDS Number: 100000057535	Date of last issue: - Date of first issue: 2024/04/29
Har	nd protection	:	Chemical-resistant, impervious gle approved standard should be wor chemical products if a risk assess essary.	n at all times when handling
Eye	e protection	:	Safety eyewear complying with an be used when a risk assessment	
Ski	n and body protection	:	Choose body protection in relation tration and amount of dangerous cific work-place.	
Нус	jiene measures	:	When using do not eat or drink. When using do not smoke.	

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	yellow
Odour	:	No data available
Odour Threshold	:	No data available
рН	:	$3.0 - 4.5(25\ ^\circ C(77\ ^\circ F))$
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit⊬Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	23 hPa
Relative vapour density	:	No data available
Density	:	$1.055~g/cm3~(25~^{\circ}C~(77~^{\circ}F))$

## Sika<sup>®</sup> ViscoCrete<sup>®</sup>-181 TH



Versi 1.0	on Revision 2024/04/			SDS Number: 100000057535	Date of last issue: - Date of first issue: 2024/04/29
	Solubility(ies)				
	Water solubility	:	١	lo data available	
	Solubility in othe	er solvents	١	lo data available	
	Partition coefficient octanol/water	: <b>n</b> - :	٢	lo data available	
	Auto-ignition tempe	erature :	١	lo data available	
	Decomposition terr	perature :	١	lo data available	
	Viscosity Viscosity, dynar	nic :	2	20.0 - 40.0 mPa.s (25 °C (77 °F))	
	Viscosity, kinem	natic :	١	lo data available	
	Explosive propertie	<b>:S</b> :	١	lo data available	
	Oxidizing propertie	S :	١	lo data available	

#### 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac- tions	:	No hazards to be specially mentioned.
Conditions to avoid	:	No data available
Incompatible materials	:	No data available
Hazardous decomposition products	:	No hazardous decomposition products are known.

#### 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Not classified due to lack of data.

#### Skin corrosion/irritation

Not classified due to lack of data.

#### Serious eye damage/eye irritation

Not classified due to lack of data.

# Sika<sup>®</sup> ViscoCrete<sup>®</sup>-181 TH



Version 1.0	Revision Date: 2024/04/29	SDS Number: 100000057535	Date of last issue: - Date of first issue: 2024/04/29
Resp	iratory or skin sensitisatio	n	
	<b>sensitisation</b> lassified due to lack of data.		
-	iratory sensitisation assified due to lack of data.		
	<b>cell mutagenicity</b> assified due to lack of data.		
	<b>nogenicity</b> assified due to lack of data.		
-	oductive toxicity assified due to lack of data.		
	- single exposure assified due to lack of data.		
	- <b>repeated exposure</b> assified due to lack of data.		
Not cl	ation toxicity assified due to lack of data.		
	oxicity		
Com	<u>oonents:</u>		
2-octy	yl-2H-isothiazole-3-one (OIT		
icity)	ctor (Acute aquatic tox- : ctor (Chronic aquatic : y)	100 100	
	stence and degradability ata available		
	ccumulative potential ata available		
	l <b>ity in soil</b> ata available		
Other	r adverse effects		
Produ	uct:		
-		A	

Additional ecological information An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Sika® ViscoCrete®-181 TH



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2024/04/29	100000057535	Date of first issue: 2024/04/29

### **13. DISPOSAL CONSIDERATIONS**

#### **Disposal methods**

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal.

#### **14. TRANSPORT INFORMATION**

### **International Regulations** UNRTDG

UNRIDG		
UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
IATA-DGR		
UN/ID No.	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo aircraft)	:	Not applicable
Packing instruction (passen-	:	Not applicable
ger aircraft		
IMDG-Code		
UN number	:	Not applicable
Proper shipping name		Not applicable
Class		Not applicable
Subsidiary risk	•	Not applicable
Packing group		Not applicable
Labels	:	
Laveis	:	Not applicable

### Not applicable Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

Not applicable for product as supplied.

EmS Code

Marine pollutant

## Sika<sup>®</sup> ViscoCrete<sup>®</sup>-181 TH



Version	Revision Date: 2024/04/29	SDS Number:	Date of last issue:-
1.0		100000057535	Date of first issue:2024/04/29

Special precautions for user

Not applicable

#### **15. REGULATORY INFORMATION**

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

Hazardous Substance Act	:	Conditions of restriction for the fol- lowing entries should be considered. Not applicable
Emergency Decree on Controlling Substances International Chemical Weapons Schedules of Toxic Chemicals and	Convention (CWC)	Not applicable Not applicable
Volatile organic compounds	Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 0.2% w/w	

#### **16. OTHER INFORMATION**

Revision Date		2024/04/29
Date format	:	yyyy/mm/dd
Full text of other abbreviat	ions	
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
ΙΑΤΑ	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at
		once, which causes the death of 50% (one half) of a group of test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in
		air that kills 50% of the test animals during the observation period
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament and

# Sika<sup>®</sup> ViscoCrete<sup>®</sup>-181 TH



Version 1.0	Revision Date: 2024/04/29	SDS Number: 100000057535	Date of last issue: - Date of first issue: 2024/04/29	
		tion, Evaluation, Autho	ecember 2006 concerning the Registra- risation and Restriction of Chemicals a European Chemicals Agency	
SVHC		Substances of Very High Concern		
vPvB		Very persistent and ve	Very persistent and very bioaccumulative	
The inf	ormation contained ir	this Safety Data Sheet corre	esponds to our level of knowledge at the	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing. TH/EN