Sika® Plastiment® PH 8229



Version Revision Date: SDS Number: Date of last issue: 2023/06/25 1.1 2024/01/12 100000051123 Date of first issue: 2023/06/25

1. PRODUCT AND COMPANY IDENTIFICATION

Product name Sika® Plastiment® PH 8229

Manufacturer or supplier's details

Company Sika (Thailand) Limited

700/37 Moo. 5 Amata Nakorn Estate

Bangna-Trad Km.57 Tambol Klong Tamhru

Muang District Chonburi 20000

Thailand

Telephone +66 3810 9500

Emergency telephone number : +66 3821 4270-85

E-mail address Sikathai@th.sika.com

Telefax +66 3821 4286

Recommended use of the chemical and restrictions on use

Product use : Concrete admixtures

2. HAZARDS IDENTIFICATION

GHS Classification

Short-term (acute) aquatic

Category 3

hazard

Long-term (chronic) aquatic

hazard

Category 3

GHS label elements

Hazard pictograms None Signal word None

Hazard statements H412 Harmful to aquatic life with long lasting effects.

Precautionary statements Prevention:

P273 Avoid release to the environment.

Disposal:

P501 Dispose of contents/container to an approved waste dis-

Sika® Plastiment® PH 8229



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2023/06/25

 1.1
 2024/01/12
 100000051123
 Date of first issue: 2023/06/25

posal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

| Chemical name | CAS-No. | Concentration (% w/w) |
|------------------------------------|------------|-----------------------|
| 2-octyl-2H-isothiazole-3-one (OIT) | 26530-20-1 | >= 0.0025 -< 0.025 |

4. FIRST AID MEASURES

General advice : No hazards which require special first aid measures.

If inhaled : Move to fresh air.

In case of skin contact : Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses.

Keep eye wide open while rinsing.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

delayed

No known significant effects or hazards.

See Section 11 for more detailed information on health effects

and symptoms.

Notes to physician : Treat symptomatically.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Hazardous combustion prod- :

ucts

No hazardous combustion products are known

Specific extinguishing meth- : Standard procedure for chemical fires.

Sika® Plastiment® PH 8229



SDS Number: Date of last issue: 2023/06/25 Version Revision Date: 1.1 100000051123 Date of first issue: 2023/06/25 2024/01/12

ods

for firefighters

Special protective equipment . In the event of fire, wear self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :

tive equipment and emer-

gency procedures

For personal protection see section 8.

Environmental precautions No special environmental precautions required.

Methods and materials for

containment and cleaning up

Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling For personal protection see section 8.

No special handling advice required.

Follow standard hygiene measures when handling chemical

products

Conditions for safe storage Keep container tightly closed in a dry and well-ventilated place.

Store in accordance with local regulations.

Materials to avoid No special restrictions on storage with other products.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the max-

imum expected contaminant concentration

(gas/vapour/aerosol/particulates) that may arise when handling the product If this concentration is exceeded, self-contained

breathing apparatus must be used.

Sika® Plastiment® PH 8229



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2023/06/25

 1.1
 2024/01/12
 100000051123
 Date of first issue: 2023/06/25

Hand protection : Chemical-resistant, impervious gloves complying with an

approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec-

essary.

Eye protection : Safety eyewear complying with an approved standard should

be used when a risk assessment indicates this is necessary.

Skin and body protection : Choose body protection in relation to its type, to the concen-

tration and amount of dangerous substances, and to the spe-

cific work-place.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : brown

Odour : No data available

Odour Threshold : No data available

 $pH \hspace{1.5cm} : \hspace{.5cm} 5.0 - 8.0 \, (25 \, ^{\circ}C \, (77 \, ^{\circ}F))$

Melting point/range / Freezing

point

No data available

Boiling point/boiling range : No data available

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit/Upper

flammability limit

No data available

Lower explosion limit/Lower

flammability limit

No data available

Vapour pressure : 23 hPa

Relative vapour density : No data available

Density : ca. 1.110 g/cm3 (25 °C (77 °F))

Sika® Plastiment® PH 8229



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2023/06/25

 1.1
 2024/01/12
 100000051123
 Date of first issue: 2023/06/25

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n- : No data available

octanol/water

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic No data available

Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : No data available

10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : The product is chemically stable.

Possibility of hazardous reac-

tions

No hazards to be specially mentioned.

Conditions to avoid : No data available

Incompatible materials : No data available

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Sika® Plastiment® PH 8229



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2023/06/25

 1.1
 2024/01/12
 100000051123
 Date of first issue: 2023/06/25

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

2-octyl-2H-isothiazole-3-one (OIT):

M-Factor (Acute aquatic tox- : 100

icity)

M-Factor (Chronic aquatic : 100

toxicity)

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Sika® Plastiment® PH 8229



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2023/06/25

 1.1
 2024/01/12
 100000051123
 Date of first issue: 2023/06/25

13. DISPOSAL CONSIDERATIONS

Disposal methods

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

IATA-DGR

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo : Not applicable

aircraft)

Packing instruction (passen- : Not applicable

ger aircraft)

IMDG-Code

UN number Not applicable Proper shipping name Not applicable Not applicable Class Subsidiary risk Not applicable Packing group Not applicable Labels Not applicable **EmS Code** Not applicable Not applicable Marine pollutant

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

Not applicable

Sika® Plastiment® PH 8229



Version SDS Number: Date of last issue: 2023/06/25 Revision Date: 1.1 100000051123 2024/01/12 Date of first issue: 2023/06/25

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Hazardous Substance Act Conditions of restriction for the fol-

lowing entries should be considered:

sodium hydroxide

(List 5.1, Number on list 153; List 2.1,

Number on list 6)

Emergency Decree on Controlling the Use of Volatile

Substances

International Chemical Weapons Convention (CWC)

Schedules of Toxic Chemicals and Precursors

Not applicable

Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

> emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 0.4% w/w

16. OTHER INFORMATION

Revision Date 2024/01/12 Date format yyyy/mm/dd

Full text of other abbreviations

European Agreement concerning the International Carriage of **ADR**

Dangerous Goods by Road

CAS Chemical Abstracts Service **DNEL** Derived no-effect level

EC50 Half maximal effective concentration

GHS Globally Harmonized System

IATA International Air Transport Association

IMDG International Maritime Code for Dangerous Goods

LD50 Median lethal dosis (the amount of a material, given all at

once, which causes the death of 50% (one half) of a group of

test animals

LC50 Median lethal concentration (concentrations of the chemical in

air that kills 50% of the test animals during the observation

MARPOL International Convention for the Prevention of Pollution from

Ships, 1973 as modified by the Protocol of 1978

OEL Occupational Exposure Limit

PBT Persistent, bioaccumulative and toxic **PNEC** Predicted no effect concentration

REACH Regulation (EC) No 1907/2006 of the European Parliament and

of the Council of 18 December 2006 concerning the Registra-

Sika® Plastiment® PH 8229



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2023/06/25

 1.1
 2024/01/12
 100000051123
 Date of first issue: 2023/06/25

tion, Evaluation, Authorisation and Restriction of Chemicals

(REACH), establishing a European Chemicals Agency

SVHC : Substances of Very High Concern

vPvB : Very persistent and very bioaccumulative

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing. TH / EN