

PRODUCT DATA SHEET

SikaRoof® Board Magna

Magnesium Oxide Roof Board

DESCRIPTION

SikaRoof® Board Magna is a fibre glass mesh reinforced magnesium oxide panel.

USES

SikaRoof® Board Magna is used as a cover board over thermal insulation with Sika® Roofing systems.

Please note:

- The Product is not suitable as a structural substrate

FEATURES

- Non-combustible fire resistant.
- Strong and durable.
- Cover a wide range of roof assemblies applications.
- Improves resistance to foot traffic for Sika® Roofing systems.

PRODUCT INFORMATION

Composition	Magnesium Oxide with fibre glass mesh reinforced
Packaging	Packed on a pallet protected with shrink foil. Refer to the current price list for available packaging variations.
Appearance and colour	White (top and bottom surface)
Shelf life	5 years from date of production
Storage conditions	Product must be stored in original unopened and undamaged sealed packaging in dry indoor conditions. If stored outside the boards must be stacked clear of the ground and covered with a polythene sheet or weatherproof tarpaulin. Boards that have become wet must be discarded. Always refer to packaging.
Density	≥950 kg/m ³
Dimensions	Width 1220 mm (± 1.0) Length 2440 mm (± 1.5) Weight 34 kg per board
Thickness	12 mm (± 0.4) For inquiries regarding other thicknesses, please contact Sika.

TECHNICAL INFORMATION

Resistance to impact	7.5 kJ/m ²	EN 14517-9	
Flexural-strength	>8 MPa	EN 12467	
	Longitudinal (MD)	3070 psi ≈ 21.2 MPa	ASTM C1185-08
	Transversal (CMD)	2941 psi ≈ 20.3 MPa	
Modulus of elasticity in flexure			
Reaction to fire	Class A1	EN 13501-1:2018	

SYSTEM INFORMATION

Compatibility	The Product is compatible with the following roofing materials: <ul style="list-style-type: none">▪ EPS insulation▪ XPS insulation▪ Mineral wool insulation▪ PIR thermal insulation▪ Sarnafil® PVC and TPO/FPO roof waterproofing membranes▪ Sikaplan® PVC and TPO/FPO roof waterproofing membranes
---------------	--

BASIS OF PRODUCT DATA

All technical data stated in this Product Data Sheet are based on laboratory tests. Actual measured data may vary due to circumstances beyond our control.

ECOLOGY, HEALTH AND SAFETY

This product is an article as defined in article 3 of regulation (EC) No 1907/2006 (REACH). It contains no substances which are intended to be released from the article under normal or reasonably foreseeable conditions of use. A safety data sheet following article 31 of the same regulation is not needed to bring the product to the market, to transport or to use it. For safe use follow the instructions given in the product data sheet. Based on our current knowledge, this product does not contain SVHC (substances of very high concern) as listed in Annex XIV of the REACH regulation or on the candidate list published by the European Chemicals Agency in concentrations above 0,1 % (w/w).

APPLICATION INSTRUCTIONS

SUBSTRATE QUALITY

The substrate surface must be uniform, smooth and free of any sharp protrusions or burrs. The substrate must also be clean, dry and free of grease and dust.

APPLICATION

IMPORTANT

Application by trained personnel
The application of this Product must only be carried out by an applicator that is trained or approved by Sika. The applicator must also be experienced in this type of application.

IMPORTANT

Exposure to moisture

Exposure to water will negatively impact the performance of the Product. It must be kept dry before, during and after installation.

1. Apply only as many boards as can be covered by roof membrane in the same day.
2. Protect boards from rain penetration during breaks in the construction process.
3. Discard any boards that become wet.

Application below +5 °C

Note: Special measures may be compulsory for installation below +5 °C ambient temperature due to safety requirements in accordance with national regulations.
Note: Installation of ancillary products, such as contact adhesives or cleaners is limited to temperatures above +5 °C. Refer to relevant Product Data Sheets for further information.

LOCAL RESTRICTIONS

Please note that as a result of specific local regulations the performance of this product may vary from country to country. Please consult the local Product Data Sheet for the exact description of the application fields.

LEGAL NOTES

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a

particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the product's suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

Sika (Thailand) Limited

700/37 Moo 5 Amata City Chonburi
Industrial Estate, T. Klong Tamhru
A. Muang, Chonburi 20000, Thailand
Tel : +66 3810 9500
E-mail : sikathai@th.sika.com
Website: tha.sika.com



Product Data Sheet

SikaRoof® Board Magna
June 2026, Version 01.01
020935111000246695

SikaRoofBoardMagna-en-TH-(06-2026)-1-1.pdf

