Sika AnchorFix®-2 Pro Tropical Part A



Version 2.0	Revision Date: 2024/02/23		SDS Number: 100000041142	Date of last issue: 2024/02/07 Date of first issue: 2024/02/07
1. PROD	UCT AND COMPANY IDE	NT	FICATION	
Proc	duct name	:	Sika AnchorFix [®] -2 Pro Tropie	cal Part A
Man	ufacturer or supplier's d	leta	ils	
Con	ıpany	:	Sika (Thailand) Limited 700/37 Moo.5 Amata Nakorn I Bangna-Trad Km.57 Tambol Klong Tamhru Muang District Chonburi 20000 Thailand	Estate
Tele	phone	:	+66 3810 9500	
Eme	ergency telephone number	• :	+66 3821 4270-85	
E-ma	ail address	:	Sikathai@th.sika.com	
Tele	fax	:	+66 3821 4286	

Recommended use of the chemical and restrictions on use

Product use :	Adhesive
---------------	----------

2. HAZARDS IDENTIFICATION

GHS Classification Skin corrosion/irritation	:	Category 3
Skin sensitisation	:	Category 1
Short-term (acute) aquatic hazard	:	Category 3
Long-term (chronic) aquatic hazard	:	Category 3
GHS label elements		•
Hazard pictograms	:	
Signal word	:	Warning

Sika AnchorFix®-2 Pro Tropical Part A



Versio 2.0	on	Revision Date: 2024/02/23		SDS Number: 100000041142	Date of last issue: 2024/02/07 Date of first issue: 2024/02/07	
ł	Hazard statements		:	H316 Causes mild skin irritation. H317 May cause an allergic skin H412 Harmful to aquatic life with		
I	Precautionary statements		:	P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read label before use.		
				Prevention :		
			P261 Avoid breathing mist or vap P272 Contaminated work clothin the workplace. P273 Avoid release to the enviro P280 Wear protective gloves.	g should not be allowed out of		
				Response:		
			P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P363 Wash contaminated clothing before reuse.			
				Disposal		
				P501 Dispose of contents/ contai posal plant.	ner to an approved waste dis-	
				ult in clossification		

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Com	ponents
-----	---------

Chemical name	CAS-No.	Concentration (% w/w)
tetramethylene dimethacrylate	2082-81-7	>= 10 -< 20
vinyltoluene	25013-15-4	>= 2.5 -< 10
methacrylic acid, monoester with propane-1,2-	27813-02-1	>= 1 -< 10
diol		
1-isopropyl-2,2-dimethyltrimethylene diisobutyr-	6846-50-0	>= 0.25 -< 1
ate		
1,1'-(p-tolylimino)dipropan-2-ol	38668-48-3	>= 0.25 -< 1
Reaction mass of 2,2'-[(4-	103671-44-9	>= 0.25 -< 1
methylphenyl)iminojbisethanol and 2-[[2-(2-		
hydroxyethoxy)ethyl](4-methylphenyl)amino]-		

Sika AnchorFix®-2 Pro Tropical Part A



Version	Revision Date: 2024/02/23	SDS Number:	Date of last issue: 2024/02/07		
2.0		100000041142	Date of first issue: 2024/02/07		
	- 1	1			

ethanol		
4-tert-butylpyrocatechol	98-29-3	>= 0.1 -< 0.25
1,4-naphthoquinone	130-15-4	>= 0.025 -< 0.1

4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Obtain medical attention.
Most important symptoms and effects, both acute and delayed	:	Causes mild skin irritation. May cause an allergic skin reaction. sensitising effects Allergic reactions See Section 11 for more detailed information on health effects and symptoms.
Notes to physician	:	Treat symptomatically.
5. FIREFIGHTING MEASURES		

Suitable extinguishing media:Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.Hazardous combustion products:No hazardous combustion products are knownucts:Specific extinguishing meth-
ods:Standard procedure for chemical fires.

Sika AnchorFix®-2 Pro Tropical Part A



Versi 2.0	on Revision Date: 2024/02/23		SDS Number: 100000041142	Date of last issue: 2024/02/07 Date of first issue: 2024/02/07
	Special protective equipment for firefighters	:	In the event of fire, wear self-conta	ained breathing apparatus.
6. AC	CIDENTAL RELEASE MEAS	SUR	RES	
	Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipmen Deny access to unprotected perso	
	Environmental precautions	:	Do not flush into surface water or If the product contaminates rivers respective authorities.	
	Methods and materials for containment and cleaning up	:	Soak up with inert absorbent mate binder, universal binder, sawdust). Keep in suitable, closed container	
7. HA	NDLING AND STORAGE			
	Advice on protection against fire and explosion	:	Normal measures for preventive fi	re protection.
	Advice on safe handling	:	Avoid exceeding the given occupation 8). Do not get in eyes, on skin, or on a For personal protection see section Persons with a history of skin sensima, allergies, chronic or recurrent not be employed in any process in used. Smoking, eating and drinking show plication area. Follow standard hygiene measure products	clothing. In 8. sitisation problems or asth- respiratory disease should in which this mixture is being uld be prohibited in the ap-
	Conditions for safe storage	:	Keep container tightly closed in a Store in accordance with local reg	

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
vinyltoluene	25013-15-4	TWA	100 ppm	TH OEL

Sika AnchorFix®-2 Pro Tropical Part A



Vers 2.0	ion Revision Date: 2024/02/23		SDS Number: 100000041142		st issue: 2024/02/07 st issue: 2024/02/07	
			TWA	10 ppm	ACGIH	
	Personal protective equi	pment				
	Respiratory protection :		Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the max- imum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.			
	Hand protection	:	Chemical-resistant, imper approved standard should chemical products if a risk essary.	d be worn at all time	s when handling	
	Eye protection	:	Safety eyewear complyin be used when a risk asse			
	Skin and body protection	:	Choose body protection in tration and amount of dar cific work-place.			
	Hygiene measures	:	Handle in accordance wit practice. When using do not eat or When using do not smoke Wash hands before break	drink. e.		

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	paste
Colour	:	beige
Odour	:	slight
Odour Threshold	:	No data available
рН	:	Not applicable substance/mixture is non-soluble (in water)
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available

Sika AnchorFix®-2 Pro Tropical Part A



Versi 2.0	on Revision Date: 2024/02/23		SDS Number: 100000041142	Date of last issue: 2024/02/07 Date of first issue: 2024/02/07
	Flammability (solid, gas)	:	No data available	
	Upper explosion limit/Upper flammability limit	:	No data available	
	Lower explosion limit/Lower flammability limit	:	No data available	
	Vapour pressure	:	2 hPa	
	Relative vapour density	:	No data available	
	Density	:	ca. 1.72 g/cm3 (20 °C (68 °F))	
	Solubility(ies) Water solubility	:	insoluble	
	Solubility in other solvents	:	No data available	
	Partition coefficient: n- octanol/water	:	No data available	
	Auto-ignition temperature	:	No data available	
	Decomposition temperature	:	No data available	
	Viscosity Viscosity, dynamic	:	No data available	
	Viscosity, kinematic	:	Not applicable	
	Explosive properties	:	No data available	
	Oxidizing properties	:	No data available	

10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac- tions	:	No hazards to be specially mentioned.
Conditions to avoid	:	No data available
Incompatible materials	:	No data available
Hazardous decomposition products	:	No hazardous decomposition products are known.

Sika AnchorFix®-2 Pro Tropical Part A



/ersion 20	Revision Date: 2024/02/23	SDS Number: 100000041142	Date of last issue: 2024/02/07 Date of first issue: 2024/02/07
11. TOXICC	DLOGICAL INFORMATI	ON	
Acute	toxicity		
Not cla	assified due to lack of da	ta.	
<u>Comp</u>	onents:		
-	ropyl-2,2-dimethyltrime		
Acute	oral toxicity	: LD50 Oral (Rat): > 3,200 mg	ykg
Acute	dermal toxicity	: LD50 Dermal (Rat): > 5,000	mg/kg
•	tolylimino)dipropan-2-o	l:	
Acute	oral toxicity	: LD50 Oral (Rat): 25 mg/kg	
	ion mass of 2,2'-ແ4-metl Iphenylյaminoյ-ethanol		nd 2-[[2-(2-hydroxyethoxy)ethyl](4-
-	oral toxicity	ED50 Oral (Rat): 619 mg/kg	
1,4₋na	phthoquinone:		
Acute	oral toxicity	: LD50 Oral (Rat): 124 mg/kg	
Acute	inhalation toxicity	: LC50: 0.046 mg/l	
		Exposure time: 4 h	
		Test atmosphere: dust/mist	
Skin c	orrosion/irritation		
Cause	s mild skin irritation.		
Seriou	ıs eye damage,eye irrita	ation	
Not cla	assified due to lack of da	ta.	
Respi	ratory or skin sensitisa	tion	
Skin s	ensitisation		
May ca	ause an allergic skin read	ction.	
Respi	ratory sensitisation		
Not cla	assified due to lack of da	ta.	
	cell mutagenicity assified due to lack of da	ta.	
	nogenicity assified due to lack of da	ta	

Sika AnchorFix®-2 Pro Tropical Part A



ersion .0	Revision Date: 2024/02/23	SDS Number: 100000041142	Date of last issue: 2024/02/07 Date of first issue: 2024/02/07
-	oductive toxicity assified due to lack of da	ata.	
STOT	- single exposure		
Not cla	assified due to lack of da	ata.	
STOT	- repeated exposure		
Not cla	assified due to lack of da	ata.	
-	ation toxicity assified due to lack of da	ata.	
2. ECOLO	GICAL INFORMATION	l	
Ecoto	oxicity		
<u>Comp</u>	oonents:		
-	phthoquinone:		
Toxici	ty to fish	EXPOSURE LC50 (Oryzias latipes (Ora Exposure time: 96 h	ange-red killifish)): 0.045 mg/l
Toxici	ty to algae/aquatic	: NOEC (algae): 0.07 mg/l	
plants M-Fac icity)	tor (Acute aquatic tox-	: 10	
•	tor (Chronic aquatic ^{y)}	: 1	
	stence and degradabili ta available	ty	
	cumulative potential ta available		
	ity in soil ta available		
Other	adverse effects		
	ıct:		
Produ			

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues

Send to a licensed waste management company.

Sika AnchorFix®-2 Pro Tropical Part A



Version 2.0	Revision Date: 2024/02/23		SDS Number: 100000041142	Date of last issue: 2024/02/07 Date of first issue: 2024/02/07
			courses or the soil.	allowed to enter drains, water waterways or ditches with chemi-
Conta	minated packaging	:	Empty remaining contents. Dispose of as unused prod	uct.
			Do not re-use empty contai	ners.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UNRIDG UN number	:	Not applicable
Proper shipping name	•	Not applicable
Class		Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
IATA-DGR		
UN/ID No.	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo	:	Not applicable
aircraft		
Packing instruction (passen-	:	Not applicable
ger aircraft)		
IMDG-Code		
UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
EmS Code	:	Not applicable
Marine pollutant	:	Not applicable

Sika AnchorFix®-2 Pro Tropical Part A



Version 2.0	Revision Date: 2024/02/23	SDS Number: 100000041142	Date of last issue: 2024/02/07 Date of first issue: 2024/02/07				
	port in bulk according to policable for product as sup	Annex II of MARPOL 73/78	and the IBC Code				
•	Special precautions for user Not applicable						
15. REGUL	15. REGULATORY INFORMATION						
Safety	/, health and environmer	tal regulations/legislation s	pecific for the substance or mixture				
Hazar	dous Substance Act		conditions of restriction for the fol- wing entries should be considered:				
		Ν	ot applicable				

Emergency Decree on Controlling the L Substances	Jse of Volatile	Not applicable
International Chemical Weapons Conve Schedules of Toxic Chemicals and Pred	Not applicable	
5 1		f 24 November 2010 on industrial ollution prevention and control

Volatile organic compounds (VOC) content: < 0% w/w

16. OTHER INFORMATION

Revision Date Date format	:	2024/02/23 yyyy/mm/dd
Full text of other abbreviat	ions	
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
TH OEL	:	Thailand. Occupational Exposure Limits
ACGIH/TWA	:	8-hour, time-weighted average
TH OEL/TWA	:	Time weighted average
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
ΙΑΤΑ	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at
		once, which causes the death of 50% (one half) of a group of
		test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in
		air that kills 50% of the test animals during the observation
		40.44

Sika AnchorFix®-2 Pro Tropical Part A



Version 2.0	Revision Date: 2024/02/23		SDS Number: 100000041142	Date of last issue: 2024/02/07 Date of first issue: 2024/02/07
MARF	POL	:	Ships, 1973 as modified by t Occupational Exposure Limi	t
PBT PNEC	;	:	Persistent, bioaccumulative and toxic Predicted no effect concentration	
REAC	Н	:	of the Council of 18 Decemb	06 of the European Parliament and per 2006 concerning the Registra- on and Restriction of Chemicals opean Chemicals Agency
SVHC	;	:	Substances of Very High Co	ncern
vPvB		:	Very persistent and very bio	accumulative

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing. TH/EN