Sikament®-520 N



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2020/12/09

 4.0
 2022/12/20
 000000620238
 Date of first issue: 2015/05/19

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Sikament®-520 N

Manufacturer or supplier's details

Company : Sika (Thailand) Limited

700/37 Moo. 5 Amata Nakorn Estate

Bangna-Trad Km.57 Tambol Klong Tamhru

Muang District Chonburi 20000

Thailand

Telephone : +66 3810 9500

Emergency telephone number : +66 3821 4270-85

E-mail address : Sikathai@th.sika.com

Telefax : +66 3821 4286

Recommended use of the chemical and restrictions on use

Product use : Concrete admixtures

2. HAZARDS IDENTIFICATION

GHS Classification

Short-term (acute) aquatic

Category 3

hazard

Long-term (chronic) aquatic

Category 3

hazard

GHS label elements

Hazard pictograms : None Signal word : None

Hazard statements : H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

Prevention:

P273 Avoid release to the environment.

Disposal:

P501 Dispose of contents/container to an approved waste dis-

Sikament®-520 N



Version Revision Date: 4.0 2022/12/20

SDS Number: 000000620238

Date of last issue: 2020/12/09 Date of first issue: 2015/05/19

posal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
2-octyl-2H-isothiazole-3-one (OIT)	26530-20-1	>= 0.0025 -< 0.025

4. FIRST AID MEASURES

General advice : No hazards which require special first aid measures.

If inhaled : Move to fresh air.

In case of skin contact : Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses.

Keep eye wide open while rinsing.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

delayed

No known significant effects or hazards.

See Section 11 for more detailed information on health effects

and symptoms.

Notes to physician : Treat symptomatically.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Hazardous combustion prod-

ucts

No hazardous combustion products are known

Specific extinguishing meth- : Standard procedure for chemical fires.

Sikament®-520 N



Version Revision Date: SDS Number: 4.0 000000620238 2022/12/20

Date of last issue 2020/12/09 Date of first issue: 2015/05/19

ods

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :

tive equipment and emer-

gency procedures

For personal protection see section 8.

Environmental precautions No special environmental precautions required.

Methods and materials for

containment and cleaning up

Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Advice on protection against

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling For personal protection see section 8.

No special handling advice required.

Follow standard hygiene measures when handling chemical

products

Conditions for safe storage Keep container tightly closed in a dry and well-ventilated place.

Store in accordance with local regulations.

Materials to avoid No special restrictions on storage with other products.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

Use respiratory protection unless adequate local exhaust Respiratory protection

> ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the max-

imum expected contaminant concentration

(gas/vapour/aerosol/particulates) that may arise when handling the product If this concentration is exceeded, self-contained

breathing apparatus must be used.

Sikament®-520 N



Version Revision Date: SDS Number: Date of last issue: 2020/12/09 4.0 2022/12/20 000000620238 Date of first issue: 2015/05/19

Hand protection Chemical-resistant, impervious gloves complying with an

> approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec-

essary.

Eye protection Safety eyewear complying with an approved standard should

be used when a risk assessment indicates this is necessary.

Skin and body protection Choose body protection in relation to its type, to the concen-

tration and amount of dangerous substances, and to the spe-

cific work-place.

Hygiene measures When using do not eat or drink.

When using do not smoke.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance liquid

Colour brown

Odour characteristic

Odour Threshold No data available

рΗ ca. 8.35

Melting point/range / Freezing

point Boiling point/boiling range

Flash point

No data available

Evaporation rate No data available

Flammability (solid, gas) No data available

Upper explosion limit/Upper

flammability limit

No data available

No data available

Not applicable

Lower explosion limit/Lower

flammability limit

No data available

23 hPa Vapour pressure

Relative vapour density No data available

ca. 1.200 g/cm3 (25 °C (77 °F)) Density

Sikament®-520 N



Version Revision Date: SDS Number: Date of last issue: 2020/12/09 4.0 2022/12/20 000000620238 Date of first issue: 2015/05/19

Solubility(ies)

Water solubility soluble

Solubility in other solvents : No data available

Partition coefficient: n-

Auto-ignition temperature

octanol/water

No data available

No data available

Decomposition temperature No data available

Viscosity

Viscosity, dynamic 10 - 25 mPa.s (25 °C (77 °F))

Viscosity, kinematic Not applicable

Explosive properties No data available

Oxidizing properties No data available

10. STABILITY AND REACTIVITY

Reactivity No dangerous reaction known under conditions of normal use.

Chemical stability The product is chemically stable.

Possibility of hazardous reac-

No hazards to be specially mentioned.

Conditions to avoid No data available

Incompatible materials No data available

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Sikament®-520 N



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2020/12/09

 4.0
 2022/12/20
 000000620238
 Date of first issue: 2015/05/19

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

2-octyl-2H-isothiazole-3-one (OIT):

M-Factor (Acute aquatic tox- : 100

icitv)

M-Factor (Chronic aquatic : 100

toxicity)

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Sikament®-520 N



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2020/12/09

 4.0
 2022/12/20
 000000620238
 Date of first issue: 2015/05/19

13. DISPOSAL CONSIDERATIONS

Disposal methods

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number or ID number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

IATA-DGR

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo : Not applicable

aircraft)

Packing instruction (passen- : Not applicable

ger aircraft)

IMDG-Code

UN number or ID number Not applicable Proper shipping name Not applicable Class Not applicable Subsidiary risk Not applicable Packing group Not applicable Labels Not applicable **EmS Code** Not applicable Marine pollutant Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

Not applicable

Sikament®-520 N



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2020/12/09

 4.0
 2022/12/20
 000000620238
 Date of first issue: 2015/05/19

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Hazardous Substance Act : Conditions of restriction for the fol-

lowing entries should be considered:

Not applicable

Emergency Decree on Controlling the Use of Volatile

Substances

Not applicable

International Chemical Weapons Convention (CWC)

Schedules of Toxic Chemicals and Precursors

Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control)
Volatile organic compounds (VOC) content: 0.2% w/w

16. OTHER INFORMATION

Revision Date : 2022/12/20 Date format : yyyy/mm/dd

Full text of other abbreviations

ADR : European Agreement concerning the International Carriage of

Dangerous Goods by Road

CAS : Chemical Abstracts Service

DNEL : Derived no-effect level

EC50 : Half maximal effective concentration

GHS : Globally Harmonized System

IATA : International Air Transport Association

IMDG : International Maritime Code for Dangerous Goods

LD50 : Median lethal dosis (the amount of a material, given all at

once, which causes the death of 50% (one half) of a group of

test animals)

LC50 : Median lethal concentration (concentrations of the chemical in

air that kills 50% of the test animals during the observation

period)

MARPOL : International Convention for the Prevention of Pollution from

Ships, 1973 as modified by the Protocol of 1978

OEL Occupational Exposure Limit

PBT : Persistent, bioaccumulative and toxic PNEC : Predicted no effect concentration

REACH : Regulation (EC) No 1907/2006 of the European Parliament and

of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

Sikament®-520 N



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2020/12/09

 4.0
 2022/12/20
 000000620238
 Date of first issue: 2015/05/19

(REACH), establishing a European Chemicals Agency

SVHC : Substances of Very High Concern

vPvB : Very persistent and very bioaccumulative

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing. TH / EN