# Sika AnchorFix®-2 Pro Tropical Part B



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2024/02/07

 2.0
 2024/02/23
 100000041177
 Date of first issue: 2024/02/07

## 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Sika AnchorFix®-2 Pro Tropical Part B

Manufacturer or supplier's details

Company : Sika (Thailand) Limited

700/37 Moo. 5 Amata Nakorn Estate

Bangna-Trad Km.57 Tambol Klong Tamhru

Muang District Chonburi 20000

Thailand

Telephone : +66 3810 9500

Emergency telephone number : +66 3821 4270-85

E-mail address : Sikathai@th.sika.com

Telefax : +66 3821 4286

Recommended use of the chemical and restrictions on use

Product use : Adhesive

## 2. HAZARDS IDENTIFICATION

**GHS Classification** 

Serious eye damage/eye irri-

tation

Category 2B

Skin sensitisation : Category 1

**GHS** label elements

Hazard pictograms

Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.

H320 Causes eye irritation.

Precautionary statements : P101 If medical advice is needed, have product container or

label at hand.

# Sika AnchorFix®-2 Pro Tropical Part B



Version 2.0

Revision Date: 2024/02/23

SDS Number: 100000041177

Date of last issue: 2024/02/07

Date of first issue: 2024/02/07

P102 Keep out of reach of children.

P103 Read label before use.

#### Prevention:

P261 Avoid breathing mist or vapours. P264 Wash skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves.

## Response:

 $P302 + P352 \, IF$  ON SKIN: Wash with plenty of soap and water.  $P305 + P351 + P338 \, IF$  IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention

P363 Wash contaminated clothing before reuse.

#### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

#### Other hazards which do not result in classification

None known.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
dibenzoyl peroxide	94-36-0	>= 10 -< 20

#### **4. FIRST AID MEASURES**

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

If inhaled : Move to fresh air.

Consult a physician after significant exposure.

# Sika AnchorFix®-2 Pro Tropical Part B



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2024/02/07

 2.0
 2024/02/23
 100000041177
 Date of first issue: 2024/02/07

In case of skin contact : Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water. If symptoms persist, call a physician.

In case of eye contact : Remove contact lenses.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

Obtain medical attention.

Most important symptoms and effects, both acute and

delayed

May cause an allergic skin reaction.

Causes eye irritation. sensitising effects Allergic reactions

See Section 11 for more detailed information on health effects

and symptoms.

Notes to physician : Treat symptomatically.

### 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Hazardous combustion prod-

ucts

No hazardous combustion products are known

Specific extinguishing meth-

ods

Standard procedure for chemical fires.

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

### **6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Deny access to unprotected persons.

Environmental precautions : Do not flush into surface water or sanitary sewer system.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

# Sika AnchorFix®-2 Pro Tropical Part B



Version 2.0

Revision Date: 2024/02/23

SDS Number: 100000041177

Date of last issue: 2024/02/07
Date of first issue: 2024/02/07

#### 7. HANDLING AND STORAGE

Advice on protection against

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling : Avoid exceeding the given occupational exposure limits (see

section 8).

Do not get in eyes, on skin, or on clothing. For personal protection see section 8.

Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Follow standard hygiene measures when handling chemical

products

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.

Store in accordance with local regulations.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
dibenzoyl peroxide	94-36-0	TWA	5 mg/m3	TH OEL
		TWA	5 mg/m3	ACGIH

## Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of	Control parameters / Permissible	Basis
		exposure)	concentration	
benzene	71-43-2	TWA	1 ppm	TH OEL
		PEAK	5 ppm	TH OEL
		TWA	0.5 ppm	ACGIH
		STEL	2.5 ppm	ACGIH
biphenyl	92-52-4	TWA	0.2 ppm	TH OEL
		TWA	0.2 ppm	ACGIH
benzoic acid	65-85-0	TWA (Inhala-	0.5 mg/m3	ACGIH
		ble fraction and vapor)		

# Sika AnchorFix®-2 Pro Tropical Part B



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2024/02/07

 2.0
 2024/02/23
 100000041177
 Date of first issue: 2024/02/07

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the max-

imum expected contaminant concentration

(gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained

breathing apparatus must be used.

Hand protection : Chemical-resistant, impervious gloves complying with an

approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec-

essary.

Eye protection : Safety eyewear complying with an approved standard should

be used when a risk assessment indicates this is necessary.

Skin and body protection : Choose body protection in relation to its type, to the concen-

tration and amount of dangerous substances, and to the spe-

cific work-place.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : paste

Colour : black

Odour : slight

Odour Threshold : No data available

pH : Not applicable substance/mixture is non-soluble (in water)

Melting point/range / Freezing

oint

No data available

Boiling point/boiling range : No data available

Flash point : Not applicable

Evaporation rate : No data available

# Sika AnchorFix®-2 Pro Tropical Part B



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2024/02/07

 2.0
 2024/02/23
 100000041177
 Date of first issue: 2024/02/07

Flammability (solid, gas) : No data available

Upper explosion limit/Upper

flammability limit

No data available

Lower explosion limit/Lower

flammability limit

No data available

Vapour pressure : 0.01 hPa

Relative vapour density : No data available

Density : ca. 1.59 g/cm3 (20 °C (68 °F))

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic Not applicable

Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : No data available

## 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : The product is chemically stable.

Possibility of hazardous reac-

tions

No hazards to be specially mentioned.

Conditions to avoid : No data available

Incompatible materials : No data available

Hazardous decomposition

products

No hazardous decomposition products are known.

# Sika AnchorFix®-2 Pro Tropical Part B



Version 2.0

Revision Date: 2024/02/23

SDS Number: 100000041177

Date of last issue: 2024/02/07
Date of first issue: 2024/02/07

#### 11. TOXICOLOGICAL INFORMATION

## **Acute toxicity**

Not classified due to lack of data.

### Components:

dibenzoyl peroxide:

Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 24.3 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

### Skin corrosion/irritation

Not classified due to lack of data.

## Serious eye damage/eye irritation

Causes eye irritation.

## Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

### Respiratory sensitisation

Not classified due to lack of data.

## Germ cell mutagenicity

Not classified due to lack of data.

## Carcinogenicity

Not classified due to lack of data.

## Reproductive toxicity

Not classified due to lack of data.

# STOT - single exposure

Not classified due to lack of data.

## STOT - repeated exposure

Not classified due to lack of data.

### **Aspiration toxicity**

Not classified due to lack of data.

# Sika AnchorFix®-2 Pro Tropical Part B



Version 2.0

Revision Date: 2024/02/23

SDS Number: 100000041177

Date of last issue: 2024/02/07

Date of first issue: 2024/02/07

### 12. ECOLOGICAL INFORMATION

## **Ecotoxicity**

**Product:** 

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 500 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Information given is based on tests on the mixture

itself.

NOEC (Danio rerio (zebra fish)): 250 mg/l

Remarks: Information given is based on tests on the mixture

itself.

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Daphnia magna (Water flea)): > 500 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Information given is based on tests on the mixture

itself.

NOEC (Daphnia magna (Water flea)): 100 mg/l

Remarks: Information given is based on tests on the mixture

itself.

Toxicity to algae/aquatic

plants

IC50 (Desmodesmus subspicatus (green algae)): 150 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Information given is based on tests on the mixture

itself.

**Ecotoxicology Assessment** 

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Components:

dibenzoyl peroxide:

M-Factor (Acute aquatic tox-

10

icity)

M-Factor (Chronic aquatic

10

toxicity)

# Sika AnchorFix®-2 Pro Tropical Part B



Version 2.0

Revision Date: 2024/02/23

SDS Number: 100000041177

Date of last issue: 2024/02/07
Date of first issue: 2024/02/07

# Persistence and degradability

No data available

## **Bioaccumulative potential**

No data available

# Mobility in soil

No data available

#### Other adverse effects

Product:

Additional ecological infor-

mation

There is no data available for this product.

#### 13. DISPOSAL CONSIDERATIONS

**Disposal methods** 

Waste from residues : Send to a licensed waste management company.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product.

Do not re-use empty containers.

### 14. TRANSPORT INFORMATION

## **International Regulations**

**UNRTDG** 

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

IATA-DGR

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

# Sika AnchorFix®-2 Pro Tropical Part B



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2024/02/07

 2.0
 2024/02/23
 100000041177
 Date of first issue: 2024/02/07

Packing instruction (cargo

aircraft)

Not applicable

Packing instruction (passen-

sen- : Not applicable

ger aircraft)

IMDG-Code

Not applicable UN number Proper shipping name Not applicable Class Not applicable Subsidiary risk Not applicable Packing group Not applicable Labels Not applicable EmS Code Not applicable Marine pollutant Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

Not applicable

### 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Hazardous Substance Act : Conditions of restriction for the fol-

lowing entries should be considered:

dibenzoyl peroxide

(List 5.1, Number on list 173)

Emergency Decree on Controlling the Use of Volatile

Substances

Not applicable

 $International\ Chemical\ Weapons\ Convention\ (CWC)$ 

Schedules of Toxic Chemicals and Precursors

Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control)

Not applicable

#### **16. OTHER INFORMATION**

Revision Date : 2024/02/23 Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
TH OEL : Thailand. Occupational Exposure Limits

# Sika AnchorFix®-2 Pro Tropical Part B



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2024/02/07

 2.0
 2024/02/23
 100000041177
 Date of first issue: 2024/02/07

ACGIH/TWA : 8-hour, time-weighted average ACGIH/STEL : Short-term exposure limit TH OEL/TWA : Time weighted average

TH OEL/PEAK : Maximum concentration for a limited time period.

ADR : European Agreement concerning the International Carriage of

Dangerous Goods by Road

CAS : Chemical Abstracts Service
DNEL : Derived no-effect level

EC50 : Half maximal effective concentration

GHS : Globally Harmonized System

IATA : International Air Transport Association

IMDG : International Maritime Code for Dangerous Goods

LD50 : Median lethal dosis (the amount of a material, given all at

once, which causes the death of 50% (one half) of a group of

test animals)

LC50 : Median lethal concentration (concentrations of the chemical in

air that kills 50% of the test animals during the observation

period)

MARPOL : International Convention for the Prevention of Pollution from

Ships, 1973 as modified by the Protocol of 1978

OEL : Occupational Exposure Limit

PBT : Persistent, bioaccumulative and toxic PNEC : Predicted no effect concentration

REACH : Regulation (EC) No 1907/2006 of the European Parliament and

of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency

SVHC : Substances of Very High Concern

vPvB : Very persistent and very bioaccumulative

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing. TH/EN

11/11